




Eyewitness




CAT



Eyewitness CAT





Jaguar



Serval



Tabby cat



Plaque showing a crowned lion, Limoges, 12th century



Tigers



19th-century inlaid earthenware tile. The lion is the symbol of St. Mark the evangelist

Eyewitness CAT



Abyssinian kittens

Written by
JULIET CLUTTON-BROCK



Abyssinian



Ocelot



Maine coon



Ginger and white cat




Black leopard



Puma cub



DK Publishing, Inc.



Ginger cat

Black-and-white cat



LONDON, NEW YORK, MELBOURNE,
MUNICH, and DELHI

Project editor Gillian Denton
Art editor Thomas Keenes
Senior editor Helen Parker
Senior art editor Julia Harris
Production Louise Barratt
Picture research Diana Morris
Special photography Dave King
Additional special photography Philip Dowell,
Colin Keates ABIPP

REVISED EDITION

Managing editors Linda Esposito, Andrew Macintyre
Managing art editor Jane Thomas
Senior editor David John
Project art editor Joanne Little
Editor Sarah Phillips
Art editor Rebecca Johns
Production Luca Bazzoli
Picture research Sarah Pownall
DTP designer Siu Yin Ho
Consultant Kim Bryan

U.S. editor Elizabeth Hester
Senior editor Beth Sutinis
Art director Dirk Kaufman
U.S. DTP designer Milos Orlovic
U.S. production Chris Avgherinos

This Eyewitness® Guide has been conceived by
Dorling Kindersley Limited and Editions Gallimard

This edition published in the United States in 2004
by DK Publishing Inc., 375 Hudson Street, New York, NY 10014

06 07 08 10 9 8 7 6 5 4

Copyright © 1991, © 2004 Dorling Kindersley Limited

All rights reserved. No part of this publication may be reproduced,
stored in a retrieval system, or transmitted in any form or by any
means, electronic, mechanical, photocopying, recording, or otherwise,
without the prior written permission of the copyright owner.
Published in Great Britain by Dorling Kindersley Limited.

A catalog record for this book is available from the Library of Congress.

ISBN 13: 978-0-7566-0662-6 ISBN 10: 0-7566-0662-4 (PLC)

ISBN 13: 978-0-7566-0661-9 ISBN 10: 0-7566-0661-6 (ALB)

Color reproduction by Colourscan, Singapore
Printed in China by Toppan Printing Co., (Shenzhen) Ltd

Discover more at
www.dk.com



Bobcat



Early Greek gold
necklace plate



Lion



Puma

Contents

6	
What is a cat?	
8	
The first cats	
10	
Cat clans	
12	
The bare bones	
14	
Inside out	
16	
Supersenses	
18	
Magnificent movers	
20	
Cleaning up	
22	
Playing cat and mouse	
24	
The young ones	
26	
Cat characteristics	
28	
Top cat	
30	
Tiger, tiger, burning bright	
32	
Tree climber	
34	
Water cat	
36	
High society	
38	
Plains drifters	
40	
Forest felines	
42	
Speed king	
	44
	Cats' kin
	46
	The taming of the cat
	48
	Myths and legends
	50
	Aristocats
	52
	Shorthairs
	56
	Longhairs
	58
	Curious cats
	60
	Street life
	62
	Caring for your cat
	64
	Did you know?
	66
	Identifying breeds
	68
	Find out more
	70
	Glossary
	72
	Index



Leopard



CATECHISM

In Christian communities, cats have always represented both good and evil. In this 19th century illustration set against an industrial background, good and bad cat spirits fight over the soul of a cat

What is a cat?

CATS ARE POSSIBLY THE MOST BEAUTIFUL and graceful of all animals. They are sleek, with fine fur that is often strikingly marked with spots or stripes (pp. 14–15), and elegant heads with pointed ears and large eyes. Both the wild cat and the domestic cat belong to one family, the Felidae. Although they vary in size from the common house cat to the huge Siberian tiger, they look alike and behave in similar ways; a tiger rolling in the grass looks a lot like a giant tabby (pp. 26–27). Cats have all the features typical of mammals: they walk upright and are warm-blooded, and they have a protective skeleton, a four-chambered heart, and mammary glands which secrete milk


to feed the young. Cats are among the most successful of all carnivores, or meat eaters, and most of them live and hunt on their own. This solitary life is possible because cats prey upon animals that are smaller than themselves and are therefore not too difficult to kill. The exception is the lion (pp. 28–29), which hunts in a family group, or pride. The domestic cat is one of the most popular of all animal companions because it is affectionate, intelligent, and playful.



NOW YOU SEE ME...

This jaguar is well-hidden. The striped and spotted fur of the cat family provides very effective camouflage in the great variety of habitats in which cats live. Both stripes and spots blend in well in forests, jungles, grasslands, and plains.

The narrow stripes and tabby markings of this domestic cat are inherited from its wild ancestor



ACCORDING TO THE GOSPEL

The beautiful Lindisfarne Gospels were written and decorated in Saxon Northumbria in Britain, around A.D. 700. The domestic cat was clearly a familiar sight around the countryside at this time.

ADAPT AND SURVIVE

Domestic cats are very adaptable. They can live in a room, a barn, or a palace, and they are found all over the world from tropical Africa to lands of snow and ice, such as Greenland. The cheetah can be successfully tamed, but the domestic cat is the only member of the cat family that lives and breeds happily within human society.

Whiskers are organs of touch and help all cats - big, small, wild, or domestic - to feel objects in the dark



JAPANESE CAPRICE

In certain religions, such as Islam and Buddhism, cats have had a far happier history than in Christianity.

The Japanese have a definite sympathy with the mysterious cat, and have often indicated its changeable nature by portraying one cat made up of many.

The mane of the adult male lion is the only obvious sign of sexual difference in the whole cat family

All cats have claws, and all except the cheetah sheath them when at rest (pp. 42-43)

COOPERATIVE CAT

The lion is the only social cat. It lives in a shared territory with other members of its pride and hunts on a cooperative basis. This enables it to hunt herd animals bigger than itself, like antelope and zebra. Like all cats, lions kill their prey by stalking and then leaping on it and biting into the neck (pp. 28-29).

THE CAT THAT WALKED BY HIMSELF

The British writer Rudyard Kipling explained the cat's place in human affection and its need for solitude in a wonderful story called *The Cat That Walked By Himself*.




STUCK ON YOU

In the Ice Age, a natural eruption of black, sticky tar at Rancho La Brea, now part of Los Angeles, California, trapped thousands of different animals, including 2,000 saber-toothed *Smilodon*. These carnivores probably got stuck when they rushed into the tar after prey that was trying to escape from them.

The first cats

MILLIONS OF YEARS AGO, many cat-like animals walked the earth, some more massive and fierce than any alive today. The earliest fossil ancestors of the cat family come from the Eocene period, some 50 million years ago. These ancestors evolved into the species of large and small cats that are living today, such as the lion and the house cat. Another line of evolution produced the now extinct saber-toothed cats, so-called because the huge canine teeth in the upper jaw were like daggers, or sabers, and the cats killed their prey by stabbing it with these weapon-like teeth. Some saber-toothed cats were large; others were small. The American species *Smilodon*, well-known from the La Brea tar pits in California, was a little larger than a modern tiger.

Tooth root



Very large teeth for biting off chunks of meat


Huge saber-teeth used as daggers to stab prey

THYLACOSMILUS

Thylacosmilus looked like a saber-toothed cat, but it was no relation to the cat family. *Thylacosmilus* was a marsupial (the young develop after birth in their mother's pouch) that lived in South America during the Pliocene period, about 7 million years ago.

Continuously growing upper canine tooth

Lower jaw developed into a bony sheath, protecting large canine teeth




Artist's impression of *Thylacosmilus*

SUITABLE MONUMENT

Sir Edwin Landseer (1802–1873) sculpted the lions that flank Admiral Lord Nelson's column in London's Trafalgar Square, to commemorate British victories in battle. During the last Ice Age, real lions roamed the freezing landscapes of Britain in search of prey like bison and wild horses. The bones of these extinct lions have been found right underneath the Landseer lions in the heart of modern London.






Reconstruction of *Smilodon*. No one can know its true color.

SMILODON

This was a large, saber-toothed cat that inhabited open grasslands. Like the lion of today, the extinct *Smilodon* lived in family groups and preyed on large herd animals like bison and mammoth. It did not become extinct until the end of the last Ice Age, about 10,000 years ago.



MIACIS

Miacis was a distant ancestor of the cat family. It looked like a marten but had longer legs. It probably lived in the tropical forests of the Eocene period, about 50 million years ago. *Miacis* has been found as a fossil in Germany.

Smilodon was small-brained, and most of its skull was made up of jaws and teeth



THE STABBER

Smilodon's saber-teeth extended well below the lower jaw, so the animal could use them without opening its mouth wide. The teeth were used like daggers to stab prey. All the saber-teeth had somewhat weak lower jaws, but the muscles used to bring the head down could exert a powerful force, essential when stabbing huge, slow-moving animals like the mammoth.

Weak lower jaw



DINICTIS

Dinictis was about the same size as today's serval (pp. 38-39), and like the serval was probably a grassland predator. *Dinictis* has been found as a fossil in South Dakota.



Stabbing tooth

HOPLOPHONEUS

This was one of the earliest extinct cats. It lived in North America in the Oligocene period, about 35 million years ago. *Hoplophoneus* was only distantly related to *Smilodon* but also had large canine teeth for stabbing its prey.




Cat clans

CATS KILL OTHER ANIMALS for food, which means that they are part of the order Carnivora (meat eaters) along with about 200 other species, including bears, pandas, dogs, hyenas, raccoons, and weasels. There are four groups within the cat family: the small cats, which includes 28 different species including domestic cats and cats as diverse as the small black-footed cat and the large puma; the large cats (the lion, tiger, jaguar, leopard, and snow leopard); and two groups consisting of only one cat each, the cheetah and the clouded leopard. Wild cats are native to every continent except Australia, where they have been introduced by humans, and Antarctica. The domestic cat is descended from one species of small wildcat, *Felis silvestris*, which is still found today in parts of Europe, western Asia, and Africa. The small cats differ from the large cats not only because they are smaller but also because they are unable to roar. Cats have remarkably well-developed senses, fast movements, and very sharp teeth, and are the most highly specialized meat eaters of all the carnivores.



ORIGIN OF THE SPECIES
Carl von Linné (Linnaeus; 1707-1778) was a Swedish botanist. He invented the system of giving Latin names to plants and animals. He called the domestic cat *Felis catus* and the lion *Felis leo*.



PUMA
The puma, or cougar, is an oversized small cat that can purr like a tabby. It lives in North and South America. The first European settlers thought it was a lion but couldn't understand what had happened to its mane!




BOBCAT
This inhabitant of North America looks like a lynx without the long ear tufts. It is the most common wild cat in North America but is seldom seen.



DOMESTIC CAT
Today, there are nearly as many breeds of domestic cats as there are breeds of dogs. They are all descended from the wildcat (*Felis silvestris*).

Small cats

Small cats include all the smaller wild cats as well as the domestic cat. All the small cats live on their own and hunt by night. They are found all over the world in a great variety of habitats, and tragically, many have been hunted almost to extinction for their soft, beautifully patterned fur.



Big cats

The big cats are at the top of the hunting pyramid and require a great deal of meat. They have always been fewer in number than the small cats, which are more easily able to find sufficient food for their needs.



ON THE SCREEN

The lion has often been used as a symbol of quality. One of the best known advertising cats is the MGM lion, seen here practicing his roar.

TIGER

The tiger is the largest and heaviest of all the cats. It is a night hunter, preying on animals smaller than itself.

Tigers are found from tropical India to icy Siberia.

Odd cats out

Two members of the cat family are distinct from all others – the clouded leopard and the cheetah. The clouded leopard is a large animal but does not roar like the other big cats, nor does it groom or rest like a small cat. The cheetah is unique because it is a running cat; all others are leaping cats.




CLOUDED LEOPARD

The clouded leopard is about the size of a small leopard but is not closely related. It lives in the forests of Southeast Asia but is rarely seen and is in danger of extinction. Like the true leopard, it often climbs trees.

CHEETAH

The cheetah is unlike all other cats – it does not have sheaths over its claws (pp. 14–15) and it can run at great speed. This ability is an adaptation to life as a hunter on the African grasslands where there are many other competing carnivores.



THE DESCENT OF THE CAT


The relationships and fossil history of the different cats are not fully understood. In this diagram, the cheetah is separated from all the others and is called a running cat because it is unique in being able to chase its prey at incredible speed. However, it kills its prey in the same way as all cats – by leaping on it and biting into its neck. All other cats are called leaping cats because they slowly stalk their prey and then leap on it.

The bare bones



NIGHT PROWLER
This snow leopard, hunting at night, reveals its fearsome teeth as it gets ready to attack.

THE SKELETON, CONSISTING OF ABOUT 250 BONES, provides a rigid framework for the soft parts of the body, protecting them from shock and injury, and at the same time allowing the cat to move with great agility and suppleness. The skull, in both large and small cats, is highly specialized for killing prey and devouring it in the shortest possible time, before other predators can steal it. The eye sockets (orbits) are large and round to allow a wide field of vision, the hearing parts of the skull are large, and the short jaws open very wide. Cats kill their prey with bites from their very sharp canine teeth and then tear off pieces of meat with their carnassial (tearing) teeth. They do not chew their food, but bolt it down; nor do they gnaw at bones, so they do not need as many teeth as dogs.



ALL THE RIGHT CONNECTIONS
In order to pounce on its prey, climb trees, run fast, and reach every part of its body to groom itself, the cat has to be amazingly supple. The muscular connections between the bones (vertebrae) of the neck and back allow the cat to stretch in all directions.




The big cat stretches in the same way as the small cat

CAT SKELETON
The skeleton of the domestic cat is just like a tiger's, except that the chest is not as deep; there is a difference in structure at the base of the tongue, allowing the small cat to purr; the sheaths of the claws (pp. 14–15) are longer in the small cat; and the tail is more flexible.

CAT SKULLS

This skull shows the big, round eye sockets of the domestic cat, its short face, and its large, sharp teeth. In some breeds of domestic cat, like the Persian, the face has been bred to be so short that there is hardly any room for the teeth, and the animal snuffles because it cannot breathe properly through its flattened nose.



Front view of domestic cat skull

Side view of domestic cat skull


Eye socket (orbit)

Biting tooth (incisor)

Killing tooth (canine)

Tearing tooth (carnassial)

Tiger skeleton



Sacral vertebrae

Lumbar vertebrae

Four false ribs, not attached to the sternum

Costal cartilages join the ribs to the sternum

Hip bone (pelvis)

Thigh bone (femur)

Hip joint

Kneecap (patella)

Caudal vertebrae

Knee joint

Back leg bone (fibula)

Back leg bone (tibia)




JUST A BITE

This lioness can break a bone with one bite of her strong jaws. All cats can open their mouths very wide, owing to the thick bones at the angle of the jaw and the powerful ligaments that join the lower jaw to the upper jaw in a hinge, just below the front of the ear.

TIGER SKELETON

The skeletons of all cats are similar. The skull is rounded with short jaws and a largish braincase (cranium). There are seven neck vertebrae, as in most mammals, but they are compressed, making the cat's neck shorter in comparison to the rest of its body. The rib cage is deep and the strong hind leg bones are longer than the foreleg bones. The number of bones in the tail varies from species to species; the tiger, for example, has more bones in its tail than does the bobcat.



The skeleton shows clearly that this Manx cat was completely tailless

MISSING LINK

Although Manx cats did not originate on the Isle of Man in the Irish Sea, they have been known there for over 200 years (pp. 58–59). Their lack of a full tail is thought to be due to inbreeding in the past.


TOEING THE LINE

It is impossible for a person to stand on tiptoe without support; ballet toeshoes have blocks in the toes. The joints and bones of all cats' feet have evolved in such a way that they always walk on their toes.



Heel bone (calcaneum)

Hind foot bones (metatarsals)



GENE MACHINE

The curly coat of this rex is an abnormality caused by genetic mutation. Inbreeding reduces gene variability and leads to the appearance of abnormal genes in the offspring.

Inside out

EVERYTHING ABOUT THE CAT has evolved so that it can feed on other live animals. It has to be a fast thinker, a fast killer, and, in order to outwit other predators, a fast eater. Therefore, all cats are agile and have very fast reactions, and their bodies are thin and powerful. Cats are very intelligent, and their brains are large in relation to the size of their bodies. Their diet consists of meat alone. After a kill, the wild cat will gorge itself on the flesh of its prey, and then may go for several days digesting this meat, before it hunts again. The

rough tongue can scrape flesh from bones as well as draw food into the mouth (pp. 20–21). Cats have sweat glands and reduce excess body heat by sweating. However, their fur covering leaves only the glands on the paw pads and, in some cases, the nose, effective for heat loss. The male cat has large anal glands which produce the pungent smell that makes many people prefer to have their tomcats rendered sterile.



FLEHMEN

The special grimace (flehmen) of this lion shows that he is using the Jacobson's (taste-smell) organ to tell if there is a lioness in heat nearby (pp. 16–17). By lifting his head and curling back his upper lip, the lion is drawing the scent-laden air over the Jacobson's organ in the roof of his mouth.

Rounded head with short face

Lithe body



Whiskers

Long legs



SPOT ME

The spotted coat of the leopard is perfect for camouflage and makes the cat invisible in the sun-dappled, wooded grasslands where it lives. Only the tawny-yellow eyes of this leopard would be seen, as the cat waits staring intently for any movement that might mean the possibility of a meal.

Fur

A fur coat has many uses. It keeps the cat warm, acts as camouflage, carries the scent of the animal, and acts as an organ of touch by means of the sensitive roots of each hair (pp. 16–17). All wild cats have a two-layered coat: an undercoat of fine soft wool, and an outer coat of coarser, longer hairs (guard hairs). The hairs of the outer coat carry the fur's spotted or striped pattern.



Tiger



Leopard



Panther



Jaguar



Ocelot




Serval

FUR COATS

It is easy to see how different the furs of cats are when they are placed side by side in this way. It is also easy to see why, for hundreds of years, cat fur has been used to make coats for humans. Today, many people feel that it is cruel to kill animals for their fur.

Claws

Claws are formed of keratin, a protein which also forms the outer layer of skin and is found in human nails. The cat's hind paws have four claws each; the forepaws, five each. The fifth claw is placed like a thumb and helps the cat to grip when climbing or holding prey.



CLAWS FOR CONCERN

All cats except the cheetah (pp. 42-43) have a unique arrangement for the protection of their claws. When the claws are relaxed, they are covered by a bony sheath - an extension of the last bone of each toe (top). The claws are rapidly extended by special flexor muscles, and the toes spread out at the same time (above).




NAUGHTY PUSS

This advertisement illustration shows the use - or misuse - of the claws. A cat playing can inflict painful scratches.




PURRFECT COMMUNICATION

The purr is another characteristic of the small cat. In all small cats, the set of bones at the base of the tongue is hard and bony. In big cats, which can only roar (pp. 10-11), these bones are made partly of cartilage. The cat purrs when vibrations are set up in the bones by the nervous system. Both wild and domesticated cats purr when they are content, and female cats purr when suckling their kittens. Cats also purr when they are worried or sometimes when in pain.



CUT-THROUGH CAT

This picture shows how the digestive system fits into the body cavity and is enclosed by the ribs and the muscles of the belly. The throat leads into the esophagus, which takes the food to the stomach and then to the small intestine. Here the nutritious parts of the food are absorbed into the bloodstream. The waste matter passes through the large intestine and out of the anus.




GOOD POINTS

The muscular body of the lioness follows the line of her skeleton. She has a rounded head, a short face, a lithe body, long legs, and a long tail which helps the heavy cat to balance when she leaps on her prey. Sensitive whiskers on the sides of her face help her to find her way in the dark. The parts of the brain that control the senses of sight, smell, hearing, and balance are particularly well-developed in cats.

MUSCLE BOUND

When the skin is removed, the arrangement of the muscles can be seen. The muscles of the shoulder are very powerful and are used when the cat leaps onto its prey.





WATCH THE GAP

Cats are able to judge distances and spaces very accurately. The whiskers and guard (outer) hairs are highly sensitive to the slightest pressure. So if there is room for the fur, there is room for the cat inside.

Supersenses

MOST WILD CATS LIVE on their own and hunt for food at night. Their senses are highly developed and they can move quietly, see everything around them, hear the slightest noise, and smell other animals that are nearby in the dark. The small cat kills quickly and usually eats as fast as possible, because it must always be on the alert, prepared to race up a tree or dive down a hole if danger threatens. Cats have one sense that humans do not have—the “taste-smell” sense—which, among other things, enables the male to know when the female is in heat (pp. 14–15). The homing instinct of cats is legendary and there are countless stories of cats finding their way home over long distances. This may be due partly to their highly developed senses, but they may have other ways of knowing where they are that we do not fully understand. One theory is that they use a strong magnetic sense.



TIME FOR A DRINK

A puma drinks from a freshwater pool. All cats except the sand cat (pp. 38–39) need water regularly.



THE EYES HAVE IT

A cat can see about six times better than a human at night because its eyes have a layer of extra reflecting cells (the *tapetum lucidum*) which absorb light.

These reflectors shine in the dark when a cat's eyes are caught in the glare of a headlight.



Pupils expanded (*above*), narrowed (*below*)



PUPIL POWER

The eyes of a cat are large in relation to its face. They are round and can look forward as well as in a wide angle all around the head. In darkness, the pupils expand to an enormous size in order to allow as much light as possible to enter. In bright light, they narrow to tiny slits in the small cats and to tighter circles in most of the big cats.

CELL MATES

In 1601, the Earl of Southampton was imprisoned in the Tower of London for his part in a rebellion against Queen Elizabeth I. The story goes that his cat, living in the earl's London house, found its way across the city to the Tower. Once there, it crossed roofs and battlements until it found the room in which the earl was imprisoned. But how to get in? The clever cat somehow located the chamber's chimney and climbed down to join its master. This triumphant tale of feline navigational skills may well be true, because this painting was done at the time.



STRETCH 'N' SNIFF

When cats are presented with food or come across any strange object, they are always cautious. They may first reach out and gently tap it with a paw before stretching out and exploring further with the nose.

Cats cannot smell as well as dogs can, but smell helps them to recognize mates, food, objects, other animals, and humans

Tortoiseshell and white cat

FIVE SENSES

In all cats, the five senses of sight, hearing, smell, taste, and touch are more highly developed than they are in humans. Although humans are more sensitive to color, cats make better use of the light. When it is too dark for even a cat to see, it can still hear prey or danger and successfully feel its way around with its whiskers, its feet, and the very sensitive outer hairs of its body and tail fur.

Large, funnel-shaped ears draw sound waves into the inner ear so that the cat can judge the direction of a noise

Eyes open wide when a cat is alert and interested. Eyes close to a slit when it is angry or frightened.

THE CAT'S WHISKERS

Whiskers are long, stiff hairs with sensitive nerve endings at their roots. They spread out around the cat's face so that the cat can feel where it is in relation to objects nearby. In bad light, they act as a backup to the cat's sight.

The nose, which has no fur covering, is a very sensitive organ. It draws in scents onto receptors on many thin, curled bones in the front of the skull.

Rough tongue used for grooming the coat, cleaning kittens, and lapping up liquids. Sense of taste is important, because as the cat bolts down its meat, it must be able to distinguish quickly any part that might be rotten and harmful.

Sorrel
Abyssinian




Magnificent movers

EVERY PART OF THE CAT'S BODY is adapted for instant action and perfectly balanced movement. All cats – even the heaviest, like the lion and the tiger – are extremely agile and can leap with great power, although they cannot run very fast over any distance. Their agility and strength is essential, because all cats kill their prey by stalking and then pouncing onto the animal's back and biting its neck. The muscles and bones of the chest and neck are particularly powerful (pp. 14–15), and the ligaments very flexible. Unlike many other carnivores, the cat has collarbones, which prevent it from jarring its shoulders when it leaps from a height. The shoulder blades are placed well on the side of the deep chest (pp. 12–13), which helps the cat to climb, and most of the weight is carried on the forelimbs. Cats that climb

LUNGING LEO
A big cat is so powerful that it can kill with one lunge of a paw. This lion knows its strength and would usually never hurt another member of its pride

trees, like the leopard (pp. 32–33), have long tails, which help them to balance. All cats walk on their toes (pp. 12–13) and their feet have thick, soft pads so they can move quietly.


Cat puts all four paws together for maximum power at take-off



Cat balances on back paws as it begins leap




NINE LIVES
When cats fall from great heights, they almost always land on their feet. Many of the small cats, as well as the leopard, spend a great part of their lives in trees. Their marvelous sense of balance is an adaptation to the difficult task of hunting a fast-moving animal, such as a squirrel or a bird, while creeping along a flimsy branch. The nervous system has evolved so that the cat, even in the midst of a fall, can right itself so as not to damage its head or the soft parts of its body when it reaches ground. There is a lot of truth in the old saying that "a cat has nine lives" because, by its fast reactions, it can escape from situations that would kill other animals.



Cat is at full stretch in mid-leap


ONE GIANT LEAP...
All cats can jump, and like other animals they do this by flexing and relaxing the muscles of the limbs and the back, while at the same time balancing with the tail. The cat differs from other jumping animals in that it is able to pinpoint its landing position with great accuracy. This is a necessity for a hunter of small, fast-moving prey.



Puma cub

When walking or running, diagonal legs go together. Right front leg and left hind leg move in unison.

PRACTICE MAKES PERFECT
All cubs and kittens have to exercise their limbs and muscles before they can achieve the flexibility and agile movements of their parents. This young cub's paws seem too big for its body, but it is practicing running and stalking and will soon be as lithe as its mother.



RUNNING WILD

When a cat runs, it pushes off with both back legs at the same time to achieve maximum forward movement, but places the front paws down separately, although in quick succession. This famous sequence by Eadward Muybridge was taken in 1887, and clearly shows how a cat moves its limbs when running.



Front paws land and cat begins to bring back paws forward

All four paws touch ground



COOL CAT

All cats can probably swim if they have to, but few seem to enjoy it. The tiger is an exception. A good swimmer, it spends a fair amount of time in or near water. Tigers living in the tropical rain forests of Asia use water as a way of keeping cool.



Loose skin, and muscles not yet developed



UP A GUM TREE

All kittens have to learn to climb. At first, just like children, they are frightened of falling and are not good judges of their own capabilities. Kittens often venture too far up a tree or onto a roof and are then terrified of going on or back. After a few misadventures and false starts, however, all but the most timid take the plunge earthward and land on their feet.



Tail is essential for balance, like the pole carried by a tightrope walker

BALANCING ACT

This cat shows how it can walk along the top of a high, narrow fence without concern. It places its paws one in front of the other and is never in danger of falling.



Most cats are not fond of water, but these kittens on a beach by famous cat artist Louis Wain (1860–1939) are having a good time

Cleaning up

THE CAT IS AN EXCEPTIONALLY CLEAN ANIMAL. All cats, big, small, wild, and domestic, spend a great deal of time licking their fur with their rough tongues, pulling bits of dirt out of their feet, and wiping their faces with their paws. Grooming spreads the cat's own scent from glands under its skin, over its body and onto objects that it rubs against. Grooming also acts

as a method of calming and "relaxing" the cat. It is not known why domestic cats bury their own feces (excreta), but it is a most convenient habit as far as their human owners are concerned. Many wild cats, like the tiger, do not do this, but deposit their excreta in a prominent position to mark their territory with its smell. Although it is the cleanliness itself that seems to us to be all-important to the cat, from the cat's viewpoint, the licking, rubbing, "sharpening of claws," and depositing of excreta in fixed spots (pp. 26–27) is all part of a complex pattern of communication through smell and touch.



Flexibility of neck allows cat to reach all parts of the body



BELLY BRUSH-UP

By licking its chest and belly, the cat is cleaning its fur and getting it to lie straight and comfortably. This licking also strengthens the cat's own smell after it has been stroked or has fed its kittens.


TONGUE TOOL
The cat's tongue is used for eating, lapping, and grooming. The usual rough surface of the mammalian tongue has, in the cat, developed into hard, spiny processes, or papillae. The papillae point backward and are used to rasp (scrape) meat off bones or lick up food and push it down the throat.

The tongue can also be curved into a scoop for lapping up water, or used as a comb for grooming the fur.



Papillae, each shaped like a miniature tongue

Close-up of papillae showing how they all point backward





SPONGING DOWN

This cat, by Japanese artist Ando Hiroshige (1797–1858), is more human than cat. Cats washing their ears in the usual feline manner is sometimes said to be a sign that rain is on the way.



FACE CLOTH

The cat washes its face by licking its paw and then rubbing the wet foot around its jaws. This cleans its face, but perhaps more importantly, it spreads scent from glands in the chin onto the feet, so the cat will leave its scent wherever it walks.

Paw thoroughly dampened for washing face



PAWS FOR ACTION

If a cat walks on something sticky it will wash it off at once. All cats are very particular about having clean paws, which are essential for fast movement and climbing. Washing the paws also helps to spread the cat's scent.

The rough tongue wets the paw in order to wash the face



REACHING THE PARTS...

These lionesses are helping to keep each other clean by licking parts they cannot easily reach themselves. More importantly, by spreading their personal scents over each other, they become familiar with other members of the pride. When people belong to the same group, they often wear a uniform as a means of identification. When a pride of lions or a pair of domestic cats want to show they belong together, they make sure they smell the same.

PERSONAL HYGIENE


By grooming the inside of its leg, the cat is spreading scent from its chin, anal, and genital glands around its body. Other cats will smell this individual scent.

Paws spread to give tongue maximum access




Playing cat and mouse

IN THE WILD, all cats feed on the flesh of the animals they have killed. Cats are solitary hunters, except for the lion, which hunts in a family group (pride, pp. 28–29). Cats usually kill animals smaller than themselves, although occasionally they will attack a larger animal. Motionless animals sometimes escape attack, but with practice, cats can recognize prey by sound and scent alone. They have an excellent memory for places and will return many times to a spot where they once had a successful hunt. Cats stalk their prey, sometimes for a long time, then, with a sudden rush, leap on it and sink their sharp canine teeth into the neck. Small cats feed mostly on mice, birds, lizards, beetles, and any other small animal they can catch. Large cats, like the leopard, feed on bigger animals—about the size of a goat—and often drag their prey up into trees to keep it away from other predators.



TOM AND JERRY

In the famous cartoon, quick-witted mouse Jerry often gets the better of the swashbuckling but slightly stupid Tom – not often the case in real life.



A stalking cat holds its body close to the ground

READY FOR ACTION

This black leopard (also known as a panther) is stalking and getting ready for the kill. Every part of the body is alert. A cat on the prowl moves very slowly and silently until it is close enough to make a quick and decisive pounce. All cats hunt in this way, from a lion killing a buffalo to a domestic cat killing a house mouse.

The pads on a cat's paws help it to move silently




MEDIEVAL MOUSERS

This picture comes from a 13th-century book, *The Harleian Bestiary*. Although the cats are not at all realistically painted, it is interesting because it is such an early illustration of cats with a rat.

IN FOR THE KILL

Cats often choose a vantage point from which they can see but not be seen. This cat may have sat absolutely silently and still on the fence for some time, watching the happenings in the grass below, before leaping down with great accuracy on the unsuspecting prey.





Black panther

TELLING TAILS
The cat's tail is an indicator of its moods. It lashes the tail when angry and twitches it gently back and forth when concentrating or contented.



A FISHY BUSINESS
The fishing cat of India does not hunt for its food quite like any other cat. It can flip fish out of the water with its slightly webbed paws, and has been seen diving for fish and catching them in its mouth.



RUNNING DOWN
The cheetah and the springboks are keeping a wary eye on each other. The cheetah will not begin to hunt unless there is an antelope on its own in a vulnerable position. The antelope know this and will not be disturbed unless the cheetah comes too close. However, once the prey has been singled out, the cheetah will pursue it at great speed.



A PRACTICED KILLER
Many cats, both wild and domestic, play with their prey before killing it. Mother cats teach their kittens how to hunt by capturing prey and then releasing it so the kittens can watch their actions. It is not really known why adult cats with no kittens still play with their prey.

A cat playing with a toy is reacting as if it were prey



BIG MEAL
With its massive teeth, this tiger can snap a bone with one bite and will devour a whole carcass, skin and all.

CHICKEN DINNER
This serval, like other small cats, crouches down to eat its food. When big cats eat, they tend to lie down with the food positioned between their front paws. Small cats begin by eating the head, which is often swallowed whole.

Serval





Leopard with cubs in their den

The young ones

THE YOUNG OF THE LARGE CATS are usually called cubs, while the young of the small cats are called kittens. All cats, whether large or small, are tiny and helpless when they are born, and are blind until they are at least nine days old. There are usually about four kittens in a litter, and the mother looks after them on her own with no help from the father cat. Cats need a secure place in which to give birth. Domestic cats usually select a safe, dark spot, like a drawer or a cupboard. In the wild, most members of the cat family, from the bobcat to the tiger, give birth in a den. Kittens take around 65 days to gestate (develop) in the mother's womb, and after birth the mother suckles them for six to eight weeks before they are weaned and begin to eat meat. They are fully independent at about six months, but many young cats stay with their mothers for up to two years. The gestation period of cubs, such as the lion cub, is between 100 and 119 days. When they are born, they are very small compared to the size of the mother, and they are not weaned until they are up to six months old.



KNITTING KITTEN

The kitten in this Japanese scroll is happily playing with a ball of wool. Toys play an important role - they stand in for prey, allowing kittens to practice catching and hunting techniques.



THE COURT OF THE KING

When a lioness comes into heat and is ready to mate, the chief lion in a pride stays close to her and keeps other lions from approaching. He mates with her many times over the two or three days that she is receptive to him. Each time takes only a few seconds.

FAMILY GATHERING

Although domestic cats like these may live in an apartment and have no contact with life in the wild, they still have all the instincts of wild cats. These kittens are now too old to suck, but the mother continues to protect and groom them. She also teaches them how to clean themselves and where to excrete. Cats taken away from their mothers too soon grow into neurotic and disturbed adults.



MOUSERS MATING

A female cat only allows a male to mate with her when she is in heat. With domestic cats, this usually happens twice a year. Each mating takes only a few seconds but may occur several times with different males in the three to five days that the female is in heat (pp. 60-61).



Kitten grows adult coat of fine hairs over its woolly undercoat



IDENTITY CRISIS

The coats of cubs and kittens are often marked differently than the adults'. This spotted baby is, in fact, a puma. Its spots merge into stripes and it has a ringed tail. The rings and spots slowly fade as the cub grows up. Lion cubs also often have spots, which fade as they mature. In some domestic breeds, such as the Siamese, the kittens are born with a pale coat. The dark points develop as the cat grows.



PLAYING AROUND

Play is an essential part of growing up. It teaches the young animal how to kill its prey and how to "get along" with its fellows. These kittens have to learn how to fight, but they must learn when to stop as well so that they are not badly hurt. Play also exercises the muscles of young animals and helps the brain and nervous system to develop quick reactions.

Sorrel Abyssinian cat and kittens

Mother's rough tongue grooms kitten, helping it to understand about other cats' scents

Legs are slightly bandy and uncertain at first



CUB CARRIAGE

All mother cats are expert at carrying their young from place to place at the first hint of danger. This lioness has grasped the loose skin around the neck of her cub between her teeth and lifts it off the ground without hurting it at all.



Several pairs of teats for suckling - each kitten has its own teat and feeds from no other



Engraving of a terrified cat

Cat characteristics

CATS BEHAVE IN SIMILAR WAYS, whether large or small, wild or tame. The wild cat gives birth in her den, protected from predators. The house cat, secure in her home, still seeks a safe, dark place to have her young. Apart from the lion, all cats are solitary hunters and eat alone as well. They are strongly territorial animals, and all mark their territory, whether it is the backyard or a stretch of forest, in the same way – by spraying and by depositing excreta. They also exchange scents in the same ways, by rubbing and licking each other. Both large and small cats communicate with one another and make various noises. Yowling and meowing are two sounds familiar to everyone. Cats sleep a great deal, mostly in the day, so that they are ready for the activities of the night. Even domestic cats will follow this pattern of behavior, and do not change their schedule to

suit their human owners, except when feeding times are concerned. Unlike dogs, cats can rarely be trained; they have adjusted to living with humans, but have never changed their essential character.




CAT NAP

Cats sleep a great deal. In some hot countries, they may sleep as much as 18 hours a day, hunting and feeding in the cooler hours. Cats do not usually sleep in long stretches but in a series of short periods. They often have one eye partly open, on the lookout for danger.

FRIEND...

Cats value their personal space. This cat feels hers is threatened and that the other cat has come too close, so she has crouched down low in a defensive position. Sometimes cats raise all their hairs so that they appear enormous.



Flattened ears are a warning sign

Hissing indicates that this cat does not want to be interfered with and will fight if she has to

PUTTING OUR HEADS TOGETHER

Cats that live together, like domestic cats or lions, sometimes rub each other's heads to show that they have no intention of fighting. Young cats do this more often, especially when they are excited.



LEGGINGS

Cats often rub against people's legs. It shows affection and also puts the cat's personal scent on the human.



LION LINGO

Ever since the evolution of our human ancestors several million years ago, the roar of the lion has been the most frightening of all animal sounds. However, the lion roars as a means of communicating with the rest of the pride, rather than to frighten its prey.

LEAVING A MESSAGE


All cats mark their territory with urine and secretions from their glands. This is called spraying, and all cats do it in the same way. The cat backs up to a post or tree, lifts its rump high and, with the tail held straight up, discharges a stream of pungent fluid against the object.



SMARTENING UP

Cats spend a good deal of their time "sharpening their claws." What they are really doing is stretching their limbs by digging their claws into a tree (or a sofa!), and pulling the claws downward. The

claws are probably not sharpened by this act, but they are cleaned, and the muscles of the feet and limbs are exercised. Sometimes a houseproud cat owner will have the cat's claws removed because it is destroying furniture, but this denies the cat one of its most natural activities.



Back slightly arched to make cat look bigger



LIONESS SCRATCHING
Lions can tear the bark off a tree when "sharpening their claws."



CAT CLUB
This illustration of a cat's club from a 19th-century children's book presents a delightfully fanciful idea of cats socializing and having a good time. In real life, domestic cat colonies are based on the availability of food supplies, and consist of extended families of closely related females, with perhaps a few dominant males attached.

...OR FOE?
Cats test each other's reactions with an explorative paw. This cat is seeing how near he can go to the tortoiseshell cat. Because he is getting a negative reaction he will probably stalk off, pretending to be more interested in something else.

Twitching tail shows that the cat is in an excited state



ROLY-POLY
Both large and small cats roll over on their backs to show affection. They expose their bellies in this way only when they feel totally secure. Rolling is often done by female cats when they are coming into heat (pp. 24-25).




PERSIAN PLATE

This beautiful plate from Iran (formerly Persia) shows a lion standing with the sun rising behind him. This was the symbol of kingship.

Top cat

MORE THAN 10,000 years ago, when humans hunted animals and gathered roots and berries, there were lions in all of Europe and Asia as well as in Africa. The lions competed with humans for the same prey and gained the respect and fear of their human rivals that exists to the present day. Today, except for a small population in the Gir Forest in northwest India, lions are found only in

Africa. They live in family groups, or prides, of up to 12 animals and help each other to hunt. Because they hunt in a group, lions are the only cats that are able to kill animals larger than themselves. The role of the males is to defend the territory. They do this by pacing around it, by roaring, and by marking trees and posts with their urine (pp. 26–27). The females (lionesses) do most of the hunting. Each lioness will give birth to about five cubs every two years. If a new lioness joins a pride, the dominant (lead) male sometimes kills the cubs she already had before he mates with her.



THE KING

His magnificent mane, heavy body, and huge canine teeth ensure that the lion rules his world. Although lionesses are the hunters of a pride, the male lions are given prime place at a kill and are allowed to feed first.

African lion and lioness



THE PRIDE

The composition of a pride varies, but females always outnumber males. When young males reach adulthood, they either oust any older lions from the pride or, if unsuccessful, they leave the pride and attach themselves to a group of females. A pride of lions shares its territory with many other meat-eaters, which compete for every scrap of food left over when the pride has had its fill.

The lioness has no mane, as it would reduce her efficiency as a hunter

MATE TO KING

Lionesses in a pride are usually related as sisters, daughters, and aunts. The lioness has a powerful, lithe body and can creep stealthily up to prey before moving in for the kill.

LEO

People born under the astrological sign of Leo are said to be proud, brave, strong, and self-centered — just like the king of beasts himself.



DANIEL IN THE LIONS' DEN
 According to the Old Testament, Daniel was taken to the court of Babylonian King Nebuchadnezzar as a captive. He was able to interpret several of the king's dreams and rose to a powerful position, but was overthrown and cast into the lions' den. Because God was on his side, the lions did not harm him.



The mane makes the lion look even bigger than he really is. It may help to frighten off other lions.



THE LION AND THE UNICORN
 During the Renaissance (the 15th and 16th centuries) the lion often appeared in paintings and architecture. In this French tapestry, the lion is shown to be at peace with the unicorn, symbol of purity.



HERCULES AND THE NEMEAN LION
 Hercules performed 12 labors to atone for killing his children. The first was to kill a lion whose skin could not be pierced by weapons; Hercules choked it to death, then wore the skin to protect himself.



The tuft of hair at the knees makes the lion look stronger

The still visible spots are left over from when the lioness was a cub

The tuft at the end of the tail is an important communication signal

Tiger, tiger, burning bright



STORM TIGER

In this famous picture, painted by French artist Henri Rousseau (1844–1910), it is hard to see the stalking tiger, camouflaged in a rain-lashed jungle.

TIGERS ARE THE BIGGEST AND MOST POWERFUL of all Cats. They used to live in small numbers in many of the forests of India, Southeast Asia, and China as far north as Siberia. Today, this magnificent animal is an endangered species, clinging to survival in a few tropical forest reserves, and in swamps such as those of the Ganges River delta in India. The biggest of all tigers come from the snow-covered forests of Siberia, but there are only about 200 still living there in the wild. Their habitat has been gradually destroyed, and they have been hunted for sport almost to

the point of extinction. Tigers are solitary hunters of large prey like deer and wild pig, and they defend their territories from all intruders. This means that to survive in any numbers, they need to spread over a very wide area of forest. Like all cats, tigers stalk their prey, but can only run fast for a short time, so they must get close before they can spring for the kill. Tigers spend a good deal of time keeping cool in or near rivers, and they often hide the carcasses of their prey in dense thickets or in water.

NOBLE CAT

The English poet William Blake (1757–1827) wrote in his famous poem *The Tyger*, "What immortal hand or eye could frame thy fearful symmetry?" Indeed, the lion may be called the king of the beasts because of its great mane and proud carriage, but to many people, the tiger looks more awesome. Tigers in India weigh up to 573 lb (260 kg), and the Siberian tiger is even heavier.


The tiger's stripes camouflage it in long grass and forests

Heavy body is close to the ground, so the tiger is hidden in grass or water

Very long, closely striped tail

MASS MURDER

The tiger was respected in India until Europeans settled there in large numbers in the eighteenth century. They considered it a good day's "sport" to slay the tiger from the safety of an elephant's back. In the mid-nineteenth century, when the British ruled India, huge numbers of tigers were slaughtered during shooting parties. In 1888, the British even offered a reward to anyone who killed a tiger. Today, the tiger is again respected, and the Indian government has set up Project Tiger to save it from extinction.





ONE TOO MANY?
A mosaic pavement dating from the first to second century A.D. was discovered in London, England. It shows the Roman god Bacchus, who was the god of wine, nonchalantly riding a tiger.

TIGER BY A TORRENT
This hanging scroll, painted in 1795 by the Japanese artist Kishi Ganku (1756–1838), depicts in great detail a fierce tiger beside a raging torrent.



The stripes on the back are farther apart than those on the legs



Rounded head with long whiskers

The huge paw is so powerful that it can knock prey over with one blow

Man-eating tigers

Although tigers do not usually kill humans, sometimes they do become “man-eaters.” This is either because they are too old or weak to kill wild animals, or because people are fishing or working in their territories and scaring away their natural prey. In India, the government is doing everything it can to keep people and tigers apart.



SOLDIER SANDWICH

This large mechanical “toy” was made during the latter part of the Mogul empire (1526–1857) in India. When wound by the handle on the side, the tiger attacks the English soldier.



EYES IN THE BACK OF YOUR HEAD
As tigers almost always attack from behind, forest workers in the Sundarbans forest and swamp between India and Bangladesh have found that a face mask worn on the back of the head has stopped tigers from attacking them.

Tree climber

LEOPARDS LIVE IN WOODED GRASSLANDS in Africa and southern Asia and are the biggest cats to climb trees regularly. They are skilled climbers and can scale a vertical tree trunk with complete ease. They are bulkier than cheetahs, but not as heavy as lions or tigers. They are secretive, stealthy animals and hunt mostly at night, but they are sometimes seen in daylight hours. Leopards usually live on their own. They occasionally prey upon domestic livestock, but they also kill animals such as baboons and cane rats, which destroy crops. Both males and females defend their territory by spray-marking branches and tree trunks and by driving away intruders. Cubs are looked after by the mother until they are about two years old, when they can fend for themselves. Leopards are under threat everywhere, mainly because of the destruction of their habitat, but also because they are hunted for their fur.



LEAFY LARDER

This lounging leopard has clearly had too much to eat. Leopards often carry the animals they kill into trees.


This protects the carcasses (dead bodies) from packs of hyenas and jackals, which would soon scrounge the food from the solitary leopard if it were left on the ground.

Leopards seldom roar; they communicate by means of a rasping bark



THE JOURNEY OF THE MAGI

This beautiful Renaissance painting by Gozzoli was commissioned for the chapel of the Medici family palace in Florence, Italy. The young boy sitting in front of the leopard is the Duke of Lucca, whose family emblem was the leopard. The Medicis kept these cats for hunting, and there is a leopard on a leash in the foreground.




LEOPARD

Black spots on a tawny-yellow background act as perfect camouflage for the leopard when it is hiding in the dappled leaves of a tree or in long, dry grass. As with most animals, the coat is short and sleek in countries where the climate is hot, but becomes much thicker and warmer in colder climates.

Spotless

The sleek black panther is actually a leopard with hidden spots. The black color comes from a combination of genes that can occur in many other species, including the jaguar and the domestic cat. Panthers behave just like spotted leopards and breed freely with them.



PANTHER

If you look closely you can see the spots on this black panther's coat. This form of leopard coat is most common in the forests of Southeast Asia.



BAGHEERA

Bagheera the black panther played an important part in the upbringing of Mowgli, the jungle boy from Rudyard Kipling's *The Jungle Book*.



SNOW LEOPARD

This very rare, large cat is not the same species as the true leopard. It lives only in the high mountains of central Asia. Snow leopards are solitary hunters and feed on wild goats, deer, and marmots.



The spots look much better on a leopard than on a fur coat


The leopard's tail is long and darkly ringed

The soft-looking paw hides sharp claws used for killing prey and climbing trees



BENIN BRONZE

This bronze plaque, made in the Benin kingdom in Nigeria in the 16th or 17th century, decorated the king's palace. The leopard was an important animal in Benin myths and was known as the King of the Bush. It was chosen as ruler over the animals for its power, beauty, good nature, and wisdom, and only the king was allowed to kill leopards.



JAGUAR

This engraving shows clearly what a sturdy cat the jaguar is.

Water cat

THE JAGUAR IS THE ONLY LARGE CAT to be found on the American continents. The name jaguar comes from *yaguara*, its name in the languages of the Amazon peoples. It lives throughout South America, as far south as Patagonia, and until quite recently, jaguars were also fairly common in the southwestern United States. However, although it is protected today, the jaguar is nevertheless in danger of extinction, because of continued destruction of its forest habitats for development, and because, until recently, thousands were killed for their exceptionally beautiful, spotted coats. The jaguar is similar to the leopard, but larger and less lithe and agile. A solitary hunter, it kills tapirs, sloths, turtles, and other small animals. It can climb trees, but not very well, and prefers to hunt at ground level or in the water. A jaguar maintains a territory that varies from 2 to 200 square miles (5 to 500 square km), depending on the availability of prey.



CAT CULT


The jaguar played an important part in much South American mythology. This pottery vessel from the Inca civilization in Peru shows a jaguar eating its victim.

Long tail, supposedly used as bait for fish

GRUNTER HUNTER

The jaguar is not as bold a hunter as the leopard and is generally slower. Unlike other big cats, it rarely roars. It grunts frequently when hunting and growls when threatened. Jaguars have sometimes been tamed, and occasionally one has even been known to live in a house, like a huge pussycat!

Ringed spots merge to blotches on the belly






AQUACAT

Jaguars are most at home in the dense, tropical forests of South America. Forest jaguars, which are darker than grassland jaguars, swim well and have been known to kill crocodiles. The Amazon peoples believe that jaguars lure fish to the surface by twitching their tails in the water and then flipping the fish out with their paws. River turtles are a favorite food.

JAGUAR KNIGHTS
 Aztec warriors in Mexico belonged to the order of either the eagles or the jaguars. At the end of the summer, the eagles and the jaguars paraded in an annual military display. As shown here in stylized form in an Aztec book, the *Codex Cospi*, the jaguar knights wore a skin with the head used as a helmet.



TAPIR TRAPPER
 Tapirs were once an important part of the jaguar's diet. They live in the same thick Amazon forests as the jaguar, but today they are very scarce.



Spotted head held low


Reddish-colored spots. Forest jaguars are darker than those living in grasslands.

Short, massively powerful foreleg

The jaguar's body is heavy, like the lion's



TIAHUANACO TAPESTRY
 This Peruvian tapestry, made approximately 1,000 years ago, shows the importance of the jaguar in Peruvian society. Here a full-face jaguar head is flanked by two rampant (standing) jaguars.



ELIZABETHAN LYNX
A lynx, illustrated 500 years ago in England.

High society


THE LYNX, BOBCAT, AND PUMA, or cougar, are called small cats, although they are not particularly small (the puma is actually the largest of all the small cats). However, their body structure is like the small cats and not like the big cats. The lynx and the bobcat are alike, and different from all other cats, in that they have very short tails. Both cats feed on animals the size of hares, and in Canada, lynx numbers vary from year to year, depending on the population of its main prey, the snowshoe hare. The bobcat lives in North America, the lynx in North America, Europe, and Asia, and the puma in North and South America. Although the lynx is found in forests in Europe, all three are most at home among rocky landscapes and high up on mountain slopes, sometimes as much as 15,000 ft (4,500 m) above sea level.



TRAPPED
Hunting for bobcat and lynx is still permitted in North America, and some 70,000 bobcats a year are caught for the fur trade, often in vicious traps like this. Many people believe these traps should be banned as they have been in Britain for a number of years.



A bobcat cleaning itself, by the American artist and naturalist John James Audubon (1785–1851)



Short, stumpy tail

Bobcat

Unlike the lynx, the bobcat has only short tufts on its ears

Thick side whiskers

BOBCAT

The spotted coat of the bobcat camouflages it in the rocks and bushy vegetation where it lives. Bobcats are solitary hunters that prey on small animals. In good weather they will sunbathe in places where they feel secure. When mating, they caterwaul like domestic cats, but their screams are louder and more shrill. The female gives birth in a den lined with grass or moss and hidden in rocks.



Unlike the bobcat and the lynx, the puma has a long, furry tail with a black tip

The hind legs are longer than the front legs, making the puma a good stalker

The puma's coat can vary in color, but the underside is always pale

LYNX

The lynx is best adapted to life in high pine forests and thick scrub where its unspotted, brownish coat is invisible against moss and rocks. The long tufts on its ears are thought to help the lynx to hear well in dense forests where sound does not carry far. It also has very big feet which, in winter, are covered with thick fur that acts like a snowshoe and prevents the lynx from sinking into the snow.



Lynx in winter coat



Lynx in summer coat



PUMA POWER

Around 600 B.C. in the Mochica culture in Peru, the puma was worshipped as a god. This sacred golden puma might have been used for some kind of ritual. It is intricately decorated with rows of double-headed snakes.

The pupils are circular and do not contract to slits as in most smaller cats

PUMA

The puma is an adaptable cat, as much at home on the inhospitable, windswept shores at the tip of South America as on the slopes of the Colorado mountains in the western United States. It hides in rocky places and is a good climber, so it is seldom seen even though it hunts by day as well as by night. Pumas have large territories and cover many square miles in their hunt for prey.



CHANGE OF SCENE

The puma is often found in mountainous regions, but it also lives in the tropical rainforests of the Amazon.

Puma



Plains drifters

MANY CATS LIVE in savannas (grasslands), plains, and deserts. The lion is the largest savanna cat. Two other well-sized plains and savanna cats, the serval and the caracal, are widespread, ranging over the whole African continent and into western Asia. They are considerably bigger than the rest of the plains and savanna cats. Cats from these environments are mainly nocturnal, and hunt for small animals like birds, rodents, lizards, beetles, and snakes. They have longer legs than forest cats and are fairly speedy over short distances, as they have to escape from larger predators, such as hyenas, that might kill them for food. The caracal is also called the desert lynx because it has tufts on its ears like a northern lynx, but its tail is not as short as the lynx's. The serval has been hunted in East Africa for its meat as well as its fur – not for the western fur trade but for traditional cloaks, or *carosses*, worn by East Africans.

BIRD BASHER

In India and Persia (now Iran), the caracal, which is easily tamed, was trained to catch rabbits and birds. It is a supreme bird catcher, sometimes leaping up and batting a bird right out of the air. Caracals climb well, and have been known to kill eagles roosting in trees.



IN UP TO THE NECK
The caracal lives in tall grasslands, dry scrub, and semi-desert.

Black ears with tufts of hair about 1.75 in (4.5 cm) long

CARACAL
Caracal is a Turkish word meaning "black ears." The caracal has a wider distribution than the serval and is found in western Asia and India, as well as in Africa. It usually has a litter of two or three kittens which are born in borrowed burrows, rock holes, or thick scrub. It does not make many sounds, but has a loud bark which it uses to call its mate.

Long, strong legs allow bursts of speed



SAND CAT

The rarely seen sand cat is a true desert dweller. It sleeps during the sweltering heat of day in a dune burrow or under scrub. At night, it comes out of its den to hunt small desert animals like lizards and mice. It manages to exist without water, getting sufficient liquid from its prey. The sand cat has thick, furry pads on its feet, enabling it to move fast over soft sand, and its yellow-brown coat blends in with the desert. Sand cats live in the Sahara and the deserts of western Asia.




Short, ringed tail with dark tip

Short, dense fur keeps the cat warm at night and cool in the day

Tail is one third the length of the head and body

SERVAL
The serval is one of the most striking of the savanna cats. With its small head, spotted coat, and long legs, it looks like a small cheetah. It lives near water and hunts small animals. Like the caracal, the serval climbs well and catches birds.



Very long front legs built for speed



BLACK-FOOTED CAT
This is the smallest of all wild cats, less than half the size of an African wildcat (pp. 44–45), but it is said to be very fierce. So-called because the soles of its feet are black, it lives in open, semi-desert country in southern Africa.



Ocelot

Forest felines

MOST SMALL CATS live in woodlands, forests, or jungles. Forest cats, like all members of the family Felidae except the lion (pp. 28–29), are solitary hunters that kill smaller animals such as mice and lizards. They feed when they can, and will eat just about anything they are able to catch. Most are very striking in appearance, with powerful, lithe bodies, spotted or striped fur, and huge eyes to help them hunt at night (pp. 16–17). They are extremely shy and hard to see in their habitats, where they are well camouflaged. They are generally silent creatures, but the males try to drive off their enemies by caterwauling. All the species are in danger of extinction both from increasing loss of habitat and also because, in spite of legal protection and a great deal of international publicity, they are still hunted for their fur, particularly in South America.



MARGAYS

The margay looks like a smaller version of the ocelot, but it is slimmer with longer legs and tail. It feeds on birds and lives in forest trees in Central and South America. Very little is known about it.



LEOPARD CAT

The leopard cat is the most common wild cat of southern Asia. It is about the same size as a domestic cat and also looks like one. It is a good climber and an excellent swimmer and has therefore been able to colonize small offshore islands. In China, it is known as the money cat because its spots look like small coins.

NOT A LOTTA OCELOT!

Although mainly a forest cat, the ocelot is also found in grass and scrubland from Arizona to Argentina. Ocelots hunt by day, swim well, and often live in pairs. Forest ocelots have a darker coat than those that live in scrub. In Mexico, because of the stripes around its neck, it is known as *tigrillo* or "little tiger." It is the most frequently hunted small cat in South America.



Ocelot



FLAT-HEADED CAT

This is a rare and elusive cat from India and parts of Southeast Asia. It has reddish-brown fur tipped with white, which gives it a silvery appearance. Little is known about its behavior, but it appears to live along riverbanks, probably catching fish, frogs, and birds, as well as small mammals.

Spots at the base of the tail become rings at the tip

Geoffroy's cat

GEOFFROY'S CAT

Geoffroy's cat (called after its discoverer, Etienne Geoffroy St. Hilaire, a 19th-century French naturalist) lives in forests and jungles from South American Bolivia to Patagonia. It can live at high altitudes and in Argentina is known as the mountain cat. It swims and climbs well and often sleeps in trees during the daylight hours.

The white ear spots are used to signal to other cats

The dark spots are similar to but smaller than those of the ocelot

The claws, hidden by soft pads, are sharpened by climbing



CUTTING BACK


If deforestation (destruction of the forests and jungles for development) continues at the present rate, the delicate balance of nature will be overturned forever and the beautiful cats that live in the forests will soon become extinct.

Speed king

THE CHEETAH IS THE FASTEST LAND MAMMAL in the world. It has a short head and a beautiful fur coat like other cats, but in some ways it hardly seems like a true cat. Unlike other cats, which are all leaping cats (p. 11), the cheetah can be called a running cat because it has evolved to hunt fast-running animals, such as the gazelle, in open country. For this reason it is placed in a different group from all other cats and given a different Latin name, *Acinonyx jubatus*. The cheetah selects its prey by stalking in the usual way, but then, at very high speed, it will chase after the gazelle or antelope and kill it with a sharp bite to the neck. It will also eat hares and guinea fowl, and sometimes even ostriches. Female cheetahs live alone and guard their territories, only allowing visiting males to come near when they are in heat (pp. 24–25). Unlike the solitary females, male cheetahs sometimes live together in a small group, but only the dominant male will mate with a female. The male group will not allow any other males into their territory and have been known to kill intruders.



Small head with short, rounded ears



FAST FORWARD

The long legs and flexible backbone of the cheetah enable it to run at up to 70 mph (110 kmh), faster than any other land mammal. It can reach its maximum speed in three seconds, from a standing start.



NO CONTEST


The acceleration of a cheetah is comparable to that of this powerful Ferrari, but the animal can only keep up its speed for about 550 ft (170 m).

GET A GRIP

Like the dog, the cheetah extends its claws while it is running, to help it get a good grip on the ground. The claws are fairly blunt, only slightly curved, and very strong.



Narrow, doglike paws



WANDERING WAYS
 The mother cheetah usually gives birth to between one and eight cubs, which she keeps hidden in the long grass while they are very young. She does not have a permanent den but moves her cubs around every few days.

Supple, muscular back

Powerful hindquarters



CHEETAH
 Cheetahs are becoming very rare. In wildlife parks their daytime activities are frequently disturbed by tourists, and although protected by law, they are still killed by poachers for their fur. Cheetahs used to be found in India and throughout Africa, but today the main population lives in Namibia and Zimbabwe (southern Africa). The cheetah hunts by day and usually drags its kill into bushes so that it cannot be driven away from its meal by vultures and other carnivores.

The striped tail is more than half the length of the head and body



INDIAN TAKE-OUT

In the past, cheetahs were often caught and trained to help huntsmen kill antelope and gazelle. Indian miniatures, painted to record the reign of the Mogul emperor Akbar in the 16th century, show the cheetahs' role. They were sent after prey, and having knocked it down would wait for their masters to complete the kill and take the carcass away.



ALL FURRED UP

The fur on the neck and shoulders is thicker than elsewhere. It forms a sort of "mane," which is hardly visible in adults but shows clearly, as in this Victorian engraving, in cubs and young animals.



MERGER

The king cheetah of southern Africa is very rare and was once classed as a separate species. The spots on its coat join to form stripes on its back.

Cats' kin

Broader head and longer face than a domestic cat's

THE MANY DIFFERENT BREEDS of domestic cat that are found in the world today, from Europe to Japan, are all descended from one wild species called *Felis silvestris*, the wildcat. This small cat is a widespread and highly adaptable species, which explains why it lives so easily and comfortably near humans. The wildcat is found in the forests of Europe, the rocky lands of western Asia and India, and the grasslands of Africa, and differs slightly in each habitat. In northern Europe, the Scottish wildcat (*Felis silvestris grampia*) has a stocky body and thick fur, to cope with life in cold climates. In Africa, where the climate is hot, the cat (*Felis silvestris lybica*) has a finer body, longer legs, and short hair. In India, the wildcat or Indian desert cat (*Felis silvestris ornata*) lives in hot, dry country, and is usually spotted. The wildcat shows many slight color variations, and the female is usually paler than the male. The wildcat from Africa is the most likely ancestor of the domestic cat, which was called *Felis catus* by Linnaeus (pp. 10–11).

WILD IN THE HIGHLANDS

The Scottish wildcat is still found in small numbers in the forests of Scotland, but it is in danger of extinction because it interbreeds with domestic cats that are living wild (feral cats, see pp. 60–61).

This cat is like a large, heavily built tabby, but it is much fiercer.



WEE WILDCATS

Kittens usually go out hunting with their mother at about 12 weeks and are independent at about five months. Although kittens of the African wildcat can become good pets, Scottish wildcat kittens have proved difficult to tame.

Scottish wildcat

Shortish tail with blunt end



OUT OF AFRICA

African wildcats live all over Africa in many different habitats, from deserts to woodlands. When mating, they caterwaul like domestic cats and also meow harshly.

They are not as shy as northern wildcats and often live close to villages and farms, interbreeding with domestic cats.


NOT CHOOSY

The Indian desert cat will interbreed with the northern wildcat, the African wildcat, and the domestic cat, so it certainly could have played a part in the ancestry of the domestic cat. It has a long, black-tipped tail, and the soles of its feet are black. It lives in hot, dry places and hunts small animals such as mice and lizards.

Ragged ears probably indicate many battles

WHO HAS TAMED WHOM?

The domestic tabby is not very different from its wild ancestor in its looks and behavior. Indeed, it has been said that the cat has tamed people and not the other way around (pp. 26–27).




Indian desert (or wild) cat

Close relatives

The civet and the genet are not true cats but are sometimes mistaken for them and behave like them. They are carnivores and belong to the mongoose family, which also includes the rare linsangs and the meerkat. Although their heads are similar to those of cats, their skulls are different.



GENET
Although this little animal has a long, very un-catlike tail, its head looks similar to a cat's.



CIVET
The civet and the genet are forest dwellers and hunt and feed at night. Their bodies are patterned with spots or stripes.

The taming of the cat



MUMMIFIED MOUSER
When one of the sacred cats of ancient Egypt died, its body was mummified (treated to prevent decay), wrapped in cloths, and placed in a special tomb. When archeologists began to excavate these tombs during the last century, they found millions of mummified cats piled on top of each other.

CATS PROBABLY BEGAN LIVING NEAR HUMAN SETTLEMENTS because it was easy to catch the rats and mice that were feeding on stored grain. People soon saw how useful cats were at destroying these pests, so they were encouraged to remain. Any kittens born nearby would have been tamed, and soon the cat was part of the household. Nobody knows when cats first started living with people, but it was probably at least 5,000 years ago. At the height of the great Egyptian civilization 3,000 years ago, the cat was already a common domestic animal, and it appears in many Egyptian tomb paintings. Eventually, the cat


became one of the most sacred animals in Egypt. It is, therefore, probable that the cat was first domesticated by the ancient Egyptians, and that the wildcat of North Africa is the most likely ancestor of all domestic cats (pp. 44–45). However, it is also possible that the cat was tamed at about the same time in many different countries of Europe and Asia, wherever the wildcat lived. Today, there are domestic cats in every part of the world where there are humans.



PERSIAN PUSS

The fluffy, longhaired cats from Persia (now Iran) belong to one of the oldest breeds of domestic cat, although this ancient, hollow earthenware model from the 13th-century looks more like a spotted cat than a long-haired breed (pp. 56–57). Most longhaired pedigree cats throughout the world today are descended from cats brought from Turkey and Iran in the 18th and 19th centuries.

Egyptian mau



POMPEIAN PET

After the eruption of Mount Vesuvius (Italy) in A.D. 79, Pompeii and Herculaneum were destroyed, but the lava that covered the cities preserved a lot of evidence of the life there. This mosaic of a cat carrying off a bird was found in almost perfect condition.

ANCIENT IMAGE

The spotted Egyptian mau is a domestic cat originating in Egypt. The word mau means “cat.” Although this is a new breed which first appeared in Europe in the 1950s, its graceful, lithe body and green eyes, and the pale background color of the coat, make it more like the cats of ancient Egypt than perhaps any other cat, with the possible exception of the Abyssinian (pp. 52–53).



FIGHTING LIKE CAT AND DOG

Two Greek men appear to be encouraging their animals to fight. It is interesting to see that both the cat and the dog are on leads. The way the dog is standing, with its front legs down and its nose pushed forward, shows that it doesn't really want to fight. It just wants to tease the cat, which is arching its back and ready to attack.




CATCHER CAT

A wall painting in the tomb of an Egyptian sculptor, Nebamun (around 1400 B.C.), is a scene of the dead man catching wildfowl in the Nile delta. This detail shows his cat holding two birds in its claws and one in its mouth, helping its owner by retrieving the birds.

CAT ON A PEDESTAL

Cat adoration in Egypt reached a peak with worship of the cat goddess Bastet, usually shown as a woman with a cat's head. She often carried a sistrum (a musical instrument) and an aegis (a shield) decorated with a lioness's head. She was associated with happiness and warmth, and loved people dancing and having a good time.



Because cats were considered sacred, they were often used to decorate jewelry, like this Egyptian gold and carnelian ring.



SLAYING THE SERPENT

In this illustration from the Egyptian *Book of the Dead*, the sun god Ra, in the form of a cat, slays Apep, the serpent of darkness.





MOSCOW MOUSER
Cats play a prominent part
in Russian fairy tales.

Myths and legends


FOR THE LAST 3,000 YEARS, since they were first revered as sacred animals by the ancient Egyptians, cats have played a major role in the folklore of many countries around the world. This may be because cats are such puzzling creatures. In the daytime they are often soft, sleepy, and affectionate, but at night they turn into silent and efficient hunters. In many European countries, huge numbers of cats were cruelly killed during the late Middle Ages, because they

were thought to be associated with witchcraft. On the whole, they had a much better time in eastern countries such as Myanmar (Burma), where magical powers were thought to be for the good. At sea, too, cats enjoyed a good reputation, not only because they killed rats on board ship, but also because many sailors believed that cats could forecast storms.



HAUNTING TALE

In Japan, myth has it that cats have the power to turn into super-spirits when they die. This may be because, according to the Buddhist religion, the body of the cat is the temporary resting place of the soul of very spiritual people.



BLESSED BIRMAN

The Birman is the sacred cat of Myanmar (formerly Burma). According to legend, a Burmese temple was attacked and the high priest killed. His favorite white temple cat jumped onto his head and was transformed into a Birman. Where the paws touched the priest, the fur remained white, a symbol of goodness. This miracle encouraged the remaining priests to repel the invaders.





CAT CHARIOT
 During the early Renaissance period in Europe, the cat was widely persecuted. This was perhaps because of a revival of interest in the Norse love goddess Freya, whose chariot was drawn by cats. This revival spurred the Christian church to attempt to purge Europe of the symbols of paganism.



FAMILIAR CATS

From about 1400 to 1700, the cat was thought of as a witch's "familiar"—her private connection with the devil. Witches were also thought to be able to turn themselves into cats at will. Many cats were therefore persecuted, and there were mass burnings in many parts of Europe, most notably in the French town of Metz.



BOND CAT

Ernst Blofeld, the arch-enemy of 007 spy James Bond, always had a white Persian cat at his side when confronting Bond.



PUSS IN BOOTS

In southern France, there was once a wide belief in *matagots*, or magician cats. One of the most famous of these was Puss in Boots, created by Charles Perrault. This cat was so crafty that it won for its master a fortune and a princess for a wife.

British black shorthair

BLACK MAGIC

Belief as to whether a black cat brings good or bad luck has varied over the centuries and from country to country. In Britain, a black cat crossing your path brings good luck, while in the American Midwest, it is good luck if a black cat visits your house, but bad luck if it stays.



The British National Cat Club badge was designed by Louis Wain in 1887

Aristocats

IN THE MID-19TH CENTURY it became fashionable to own exotic cats, and clubs were formed to determine standards and compare types. During the 20th century, many breeds have been developed that look very different from the cat's wild ancestors, and it is sometimes difficult to remember that inside every champion is a wild animal with the instincts of a hunter. But the basic behavioral patterns of cats do not change, although they may appear to do so. Sometimes, this apparent change in behavior may be because the kittens of pedigree cats are often reared in a cattery in large numbers, for sale, and not individually in a human home. If a cat is to be an affectionate companion, it must be handled and talked to starting as soon after birth as possible. If it is brought up without this sort of human contact, and then taken from its mother at six weeks old to be placed with a family, it may seem nervous and disturbed. This nervousness is often blamed on the cat's highly bred temperament, but it

might be caused by a lack of social contact from birth, and by being removed from its mother too soon.



FIT AND FLUFFED-UP
Grooming longhaired cats (pp 56–57) is necessary to prevent tangling and get rid of excess hair. It is particularly important before a cat show, when a cat should look fluffed-up and in peak condition.

ORANGES
Red self longhairs were originally known, for obvious reasons, as oranges. This is a fairly rare breed, but they were known in Britain as long ago as 1895. The beautiful red coat should show no shading or tabby markings.




FIRST SHOW
Harrison Weir, who staged the world's first modern cat show in London in 1871, is seen with the winner, a Persian kitten.



SHOW OFF
It is argued that the showing of pedigree cats has helped to create the great variety of breeds in the world today, although many people find the genetic experimentation necessary to develop new breeds distasteful.

Deep orange coat

Thicket body



Ears are sometimes almost transparent

Body is muscular but elegant

The Russian blue has a very "aristocratic" profile. The nose is wedge-shaped and the ears are large and slightly pointed.

Russian blue

Wide-set, almost turquoise eyes

Long, fine-boned legs with small, oval paws

Thick, plush double coat stands out from the cat's body because of its density

Powerful hind legs

Long, tapering tail


BLUE BEAUTY

The Russian blue has had a great many names in its history, including Spanish cat and Maltese cat, but it is generally thought to be a Russian breed. The breed was exported to Britain in the 16th century. One of the most famous was Vashka, the beloved pet of Nicholas I, czar (ruler) of Russia.



UNLUCKY 13

In 1898, a party of 13 dined at London's famous Savoy Hotel. The first guest to leave was killed soon after, fulfilling an old superstition. In the 1920s, sculptor Basil Ionides was commissioned to carve a wooden cat about 3 ft (1 m) high. At the Savoy today, Kaspar the cat always sits at the table when there are 13 diners, and is served the whole meal.



Red self longhair

Small, rounded ears

Large, round, copper-colored eyes

The red self has a very different profile from the Russian blue. The nose is so flat that the animal sometimes has trouble breathing through it.



Short, solid legs

Shorthairs



American portraits, like this one by Ammi Phillips (1788–1865), often included the family pet


MOST CATS HAD SHORT HAIR until about 100 years ago, when it became fashionable to own cats and experiment with breeding (pp. 50–51). A cat with a short coat could survive and fend for itself more easily. There was no danger of the cat's becoming tangled in branches or being grabbed by enemies, and less chance of a skin disease as a result of matted fur. Even today, the shorthaired breeds are more robust. Pedigree shorthaired cats fall into three main categories: the British shorthair, the American shorthair, and the foreign or Oriental shorthair. The British shorthair is a stocky, muscular cat with shortish legs. The American shorthair developed from ancestors of the British shorthairs that were

taken to the United States by early settlers. It is larger and more lithe than the British type and has slightly longer legs. Among the most popular cats today are the Oriental shorthairs. They are sleeker than the other shorthairs, with smaller heads and longer legs. The Siamese and Abyssinian are two well-known breeds. There are many non-pedigree shorthaired cats, of all shapes and sizes, which can be as beautiful as their purebred cousins.



SEW MUCH FUN

In the early part of the century, cutely painted kittens, like the two here, were often used to illustrate birthday cards and postcards. Thread spools are still favorite playthings for kittens.



Large, pointed ears set far apart

Almond-shaped green eyes

Small, oval-shaped paws with black pads

Longish tail tipped with black

ABYSSINIAN *left*

No one knows for sure where the Abyssinian was first bred, but it looks like the cats shown on ancient Egyptian tomb paintings. It comes in many colors including usual (brown), sorrel (light copper), blue, fawn, lilac (pinkish-gray), and silver. It is a beautiful and very graceful cat.



Large ears set high on the head

Heart-shaped face with very round, bright green eyes

Small, oval paws with blue to lavender-colored pads

KORAT *above*

The Korat is one of the oldest breeds of cat. It comes originally from Thailand and is thought to bring good luck to its owner. The breed was first taken to the United States in the 1950s and arrived in Britain in the 1970s. It is a gentle, rather nervous cat with a heart-shaped head and a dusky blue coat.



Tortoiseshell-and-white coat covers thickset body

TORTOISESHELL-AND-WHITE

These pretty cats, with their distinctive coats, are very familiar but hard to breed. To produce a tortoiseshell, females are best mated to a solid-colored black, red, or cream male, but even then there may be only one kitten with the desired coloring. Tortoiseshells are almost always female. They are usually lively cats and make charming family pets.

Fur separates when the back is bent



LOOKOUT

Like all cats, this tabby likes to know what's going on and has selected a good perch. Non-pedigree cats are sometimes less nervous than highly bred cats (pp. 50–51) and usually make good pets.

BURMESE *right*

Like the Abyssinian, the Burmese comes in a variety of coat colors, of which brown is the original and, to some, ideal color. Brown cats similar to today's Burmese were recorded as living in Buddhist temples in Myanmar as long ago as the 15th century. The Burmese is an affectionate, intelligent cat that hates to be left alone.





MR. AND MRS. CLARK AND PERCY
There is no doubt that artists like to paint cats. From the 1400s to the present day, cats have appeared in great works of art. In this famous painting by British artist David Hockney (born 1937) of his friends Ossie Clark and his ex-wife, their large white cat, Percy, is almost the center of the painting.





HOPE SPRINGS ETERNAL
This cat can smell the scent of the bird that was in the cage.

Ginger and white cat

MR. MISTOFFEELES
Old Possum's Book of Practical Cats by the poet T. S. Eliot describes wonderful cats, full of character. Mr. Mistoffelees (like all black cats; p. 49) has his own share of magic. Indeed, Eliot describes him as "The Original Conjuring Cat."



Ringed, fluffy tail



MISS ZOE DE BELLECOURT
This very proper 18th-century girl was painted by the Scottish artist George Watson (1767-1837). Cats were considered suitable pets for young ladies at this time.



COLOR CHANGE

Because of the popularity of the Russian blue (above), attempts have been made to produce all-black and all-white versions of it. For some reason, Russian blues are most popular in New Zealand.

BEATEN BY A HEAD
This unusual piece of American folk art shows a cat head with a bird in its mouth. It was perhaps painted as a tribute to a good hunting cat (cats played an important part in early American homesteads), or it may have been someone's family emblem.



SIAMESE below

The first Siamese to arrive in Britain in the 1880s are believed to have been a gift to the British embassy from the Court of Siam (modern Thailand). The Siamese is a highly intelligent, noisy cat, and often will not tolerate rivals for its owner's affections.

Thin, tapering tail

Long, pointed ears

Tabby cat

Fluffy coat in excellent condition

Bright eyes are a sign of good health

TWO'S COMPANY

More non-pedigree cats have tabby coats than any other kind of markings. Non-pedigree cats are often more robust than highly bred cats, because inbreeding (breeding within a closely related group) can cause physical weaknesses. These two cats clearly get along. They display no aggressive signs toward each other.

Long, slim legs

Small, neat paws






Famous French artist, author, and cat-lover Jean Cocteau (1889–1963) designed this logo

Longhairs

ALL WILD CATS HAVE A TWO-LAYER FUR COAT (pp. 14–15), and in cold countries, all mammals, including cats, tend to have thicker and longer fur than those from hot countries. But no wild cat has the luxurious fur of the longhaired domestic cat (although the Pallas cat comes close). Long

hair would be a disadvantage to a wild cat because it would become matted and tangled in bushes (pp. 52–53). However, because longhaired cats are very attractive, this characteristic was specially selected by cat breeders in the past and is now common. The Persian is probably the oldest breed of longhaired cat, and most longhairs are of the Persian type. The breed may have been brought into Europe from western Asia on several occasions over the last few hundred years. Another very old breed is the Angora, which came from Turkey.

Longhaired cats are usually placid by nature and make excellent companions, but they do need more attention than shorthaired cats.



BIRMAN


The Birman has a longer body than a typical longhair, and markings similar to a Siamese. Although legend has it that the breed evolved from a white temple cat (pp. 48–49), it may, in fact, be a cross between a Siamese and a Persian. It always has white feet.

Large, round white paws



ANGORA

This early engraving shows an Angora, possibly the first longhair to be seen in Europe.



Neck ruff




Short head with long, pink-tipped nose

Long, feathery tail

TURKISH VANS

This cat is often referred to as the Turkish swimming cat, because it is said to be particularly fond of playing in water. It takes its name from the isolated area around Lake Van in southeast Turkey, where it has been bred for several hundred years.



Frowning expression caused by horizontal crease between the eyes

RED SELF

Although this breed was shown in Britain at the end of the last century (pp. 50–51), all pedigree cat breeding dwindled during World Wars I and II, and the red self became rare in Britain and Europe. Recently, there has been a revival of interest in it, although there are few good examples of this cat.



Blunt-ended, plumelike tail

PALLAS'S CAT

This wild cat is named after Peter Simon Pallas (1741–1811), the German naturalist, who discovered it in the area around the Caspian Sea, in the Soviet Union. It has a long, thick coat, which helps to protect it from the harsh climate of its habitat. Pallas thought that it might be an ancestor of the longhaired domestic cats, although this is now not thought likely.



MAINE COON

The Maine coon is the oldest American breed of cat and one of the largest. Tradition says that it roamed free in the state of Maine in its early history and was compared with the raccoon, which has similar markings and hunting habits – hence its name. In fact, it probably descends from American farm cats and longhaired cats brought back from Europe by sailors.

Strong legs, with large round paws



Color woodcut by American artist Elizabeth Norton (1887–1985)



CHESHIRE CAT

This stained glass window commemorates the British writer Lewis Carroll (1832–1898) who immortalized the perpetually grinning Cheshire Cat in *Alice's Adventures in Wonderland*.

Curious cats


THE BREEDING OF CATS for special characteristics, like different colored coats, extra big ears, a reduced tail, or very fluffy fur, was begun at the start of the 20th century (pp. 50–51). Since then, many different breeds have been developed. By selective breeding, almost any part of the cat can

be altered. It is possible that these special features could appear as natural mutations in a wild cat, but the animal would probably die before passing on these abnormalities. With domestic cats, many kinds of features can be produced by inbreeding and selection, and offspring can be given very special care, so that the line will be carried on. Sometimes curiosities in the wild, like the white tiger, are perfectly healthy, as are some new domestic breeds like the Burmilla, a cross between a Burmese cat and a chinchilla cat. But all too often, excessive inbreeding produces an animal with serious health problems. Whether breeders should continue trying to develop new breeds is an open question.



THE SPHYNX

This cat's appearance is probably not everyone's idea of beauty. Hairless kittens are born from time to time as a natural genetic abnormality. One such kitten, born in 1966 to an ordinary black and white cat in Canada, was used as a founding sire (male cat used for fathering kittens) for a new breed of hairless cats.




DEVON REX

As a result of a mutation, which was selected for the founding of a new breed, the Devon and Cornish (originating from Devon and Cornwall in England) rex cats are unique in that every hair on their bodies is soft and curly. They are lively animals and make affectionate family cats.

The curly fur is short, soft, and close-lying with no guard hairs (pp. 14–15)

Devon rex



The head is wedge-shaped with a longish nose. The nose should be roughly the same color as the coat. The ears are large and slightly rounded, and the eyes are almond-shaped.

Even the whiskers are curly



THE OWL AND THE PUSSYCAT

A cat and bird friendship would be a very curious thing indeed. However, in Edward Lear's (1812–1888) famous poem, the owl and the pussycat fall in love, marry, and live happily ever after.



Long, flexible tail

MIX 'N MATCH

In zoos and circuses, lions and tigers sometimes mate. When the father is a lion, the cubs are called ligers, and when the tiger is the father, they are called tigons. These animals, although healthy, are often unable to bear young. However, a female liger in Munich was successfully mated back to a lion and the cub was reared to adulthood.

MANX
A kitten without a tail may be born in any litter, and the Manx has long been established as a breed. Manx means from the Isle of Man, off the northwest coast of England. Although not originally from the island, tailless cats became common there at least 200 years ago, probably as a result of its geographical isolation and the resulting inbreeding.



Manx cats have no tail at all, like this one (a rumpy), a tiny bump (a riser), a movable tail stump (a stumpy or stubby), or a small tail (a longy)

Strong back legs

Well-defined patches of black, cream, orange, and white fur

IN BLACK AND WHITE

The striking white tiger was once not uncommon in north and east central India, but there are few there now. The unusual color is the result of a dominance of white genes similar to those in white domestic cats.



NEATLY FOLDED

Ears that turn over or hang down are a common feature of domestic dogs but are rarely seen in cats, but the folded ear, like the absence of a tail, can occur as a natural mutation.

A white kitten born in Scotland with folded ears in 1961 was used as a sire for a new breed called the Scottish fold.





Illustration from *The Historie of Foure-footed Beastes* by Edward Topsell, 1607


Street life

ALL CITIES HAVE A SECRET WORLD of teeming animal life, where hunters and hunted co-exist successfully. Cats find plenty of pigeons, rats, mice, and cockroaches to prey upon in alleyways, drainpipes, and trash cans. City cats have their own territories. They crawl into

basements, under sheds and warehouses, or up onto roofs. Male cats (toms) mark and defend their territories in the same way that house cats and wild cats do. Territory size is roughly linked to an animal's size and needs. Domestic cats that can scavenge food scraps or are fed by humans can live in much greater density than wild cats in competition for prey. Females (queens) also have territories, and will find hidden places to have their kittens. Cats are useful in cities because they clear away some garbage and reduce the number of rats and mice. When well-meaning people feed urban cats, they can become too numerous, which upsets the balance of the concrete jungle. In some cities, cats are caught, neutered, and released so they can keep on catching rats and mice but not breed again.



CATS ON A HOT TIN ROOF
Their roaming nature often means that cats take to the rooftops. This territory gives them independence from human interference and sometimes allows them access to interesting places. This delightful scene by French artist and engraver Grandville (1803–1847), is entitled "*The Heartaches of an English Cat.*"




Tabby markings form the basic feline coat pattern

The coat is slightly matted, a sign that this cat is not in peak condition

TABBY TEMPERAMENT

It may seem strange, but a cat's color and the markings of its coat seem to be associated with its temperament. Cats that live in cities have to be calm and cunning by nature, and blotched tabby cats and black and white cats seem to have temperaments best suited to city life.



STREET FIGHTERS

There are 58 million cats in the United States. It is not easy to tell the difference between cats that live with people and go out into the streets at night, and those that live like wild animals, away from human contact all the time. Street or alley cats are usually more wary of humans than house cats that go out at night, and tend to look scruffier. They run away when approached, and may be ragged-eared and scarred from frequent battles.

The ear is ragged and scarred, a certain sign of battles fought

The eye is damaged, the result of either a fight or an inadequate diet



TOM, DICK, OR HARRY?

When a female cat is in heat (pp. 24–25), several males in succession may mate with her. This means the kittens might not have the same father and might look different from each other, as in the painting above. Indeed, one female is known to have given birth to a very mixed litter of non-pedigree cats and one perfect Siamese.

Feral cats

Feral refers to domestic animals that once lived under human control but have returned to live and breed in the wild. Feral cats are often found on islands where they were left by sailors, but where there are now few humans.

These cats can do serious damage to local wildlife.



ONLY A WHISKER

There is a fine line between a street or alley cat and a feral cat. Indeed, some people claim that they are one and the same. Certainly, some alley cats can live totally outside human control, but most do depend indirectly on human life.



CATASTROPHE

This Parisian group is protesting against a proposed plan to destroy the feral cat populations living in Paris. The objectors believed that such a move would be a disaster, and upset the natural ecological balance, not only in Paris, but eventually in all France.




Kittens often appeared on the first Christmas cards made in the 19th-century

Caring for your cat

CATS ARE INDIVIDUAL ANIMALS with their own needs. Owning a cat means that you should provide it with regular, well-balanced meals, a warm bed, and a great deal of care and attention. If possible, every cat should be allowed outside to explore and establish its territory and to eat blades of grass, which help its digestion. Cat flaps in doors allow maximum freedom to cats and minimum annoyance to owners, but there may be the odd unwelcome visiting cat. Most people like to have their cat neutered unless they are intending to breed it. Your vet can tell you the correct age for neutering. It is also wise to have your cat vaccinated against feline enteritis and cat flu, both of which can be fatal. Kittens are irresistible, but before getting one, you should remember that a cat can live for over 20 years and will need constant care for all of that time – but the rewards will be great.



KAT KIT
All cats, especially the longhaired breeds, should be brushed regularly, otherwise they swallow a lot of hair when they lick their coats. The hair collects in the stomach as a fur ball, which can make the cat ill.



SCRATCH CLEAN

Every cat needs to clean its claws and stretch its body (pp. 26–27). A scratching post or an old piece of wood are ideal for this.



Food bowl



Water bowl

MOUSER MENU
Cats are carnivores and need to eat meat or fish daily. Hard bones that do not splinter are also a good idea as they help to keep the teeth and jaws clean and healthy. Water should always be available and is essential if dried food is part of the diet. Although cats like milk, it often causes stomach upset.



Scoop

Cat litter

Litter box



CREATURE COMFORTS

The cat is a territorial animal and needs its own sleeping place. However, it will often take over an armchair or bed, probably because these places smell reassuring rather than because they are especially comfortable.

DIGGING IN

Nearly all cats can be trained to use a litter box. The cat carefully buries its excreta, but the box needs to be cleaned out daily and the litter replaced often.





PLAYTIME

Cats love to play, and the exercise is good for them. A wad of paper is often enough to distract them. No toy should have a loose string that could wind around the animal's body or strangle it.



COLLARED

Many people think that a cat should not wear a collar because it might get caught on a twig or a tree branch. However, collars with an elastic strip in them allow the cat to escape in an emergency. It is advisable to attach an identification tag to the collar.



BASKET CASE


Few cats will sleep in a specially provided basket if it does not smell right. Cats like something that smells of their owner. So a cat basket should first be lined with newspaper, to help prevent drafts, and then covered with an old sweatshirt or other article of clothing. All places where the cat sleeps should be kept free from fleas by regular spraying or washing with an insecticide that will not harm the animal.



ON THE ROAD

Cats hate to be taken away from their own territory. They are extremely alert, and most cats know when their owners are about to go on vacation. It is often better to leave them in their own home and have someone come to feed them, than to take them with you or put them in a kennel. However, if this is not possible, a secure cat carrier, lined with a favorite blanket, is important. It should be brought out well in advance of any trip, even for a short visit, such as to the local vet, so that the animal can get used to it being around.

Front grill can be securely fastened



ALL YOU NEED IS LOVE

A cat needs not only clean food and a warm bed, but also affection as well. In return, it will display love for its owner. Cat ownership has been shown to benefit humans, particularly the elderly and those alone. The cat provides companionship, and stroking and petting it helps to release frustration and tension.

Did you know?

AMAZING FACTS



A cat's nose pad



A cat's nose pad is ridged with a unique pattern, just like the fingerprint of a human.



There are more than 500 million domestic cats in the world.



A cat's heart beats nearly twice as fast as a human heart, at 110 to 140 beats per minute.



For a cat, the grass is red! Cats are partially color blind, making red colors appear green and green colors appear red.



In just seven years, a single pair of cats and their offspring could produce a staggering total of 420,000 kittens.



Sir Isaac Newton, the scientist who discovered the principles of gravity, also invented the cat flap.



A cat nap



Cats "meow" often at humans, but hardly ever "meow" at other cats.




The flat-headed cat is an expert fisher. It has webbed paws to help it swim and well-developed premolars to give it a good grip on slippery prey.



The domestic cat is the only cat species that holds its tail vertically while walking. Wild cats hold their tails horizontally or tucked between their legs.

A cat holding its tail tall



A cat's ear can turn up to 180 degrees. Each ear has more than 20 muscles that control this movement.



Almost all tortoiseshell cats are female, because the coloring is linked to the female sex gene.



On average, cats spend two-thirds of every day sleeping. So a nine-year-old cat has only been awake for three years of its life.



The spots on the back of the African cheetah known as the "king cheetah" are so large that they join together to form striking black stripes running down its spine.



A cat cannot see things that are immediately under its nose because its nose gets in the way.



A person who killed a cat in ancient Egypt could be punished with death.



Relative to its size, the clouded leopard has the biggest canines of all cats. Its sharp, dagger-like teeth can be as long as 1.8 in (4.5 cm).



The average cat-food meal is equivalent to about five mice.



A cat hard at work grooming itself




Cats are extremely clean animals, and spend nearly one-third of their waking hours grooming themselves.



According to Hebrew folklore, God created cats when Noah prayed for help. Noah was afraid that rats would eat all the food he had stored in the ark, so God made the lion sneeze, and out popped a cat.



A cat's colorpoint pattern — where the ears, face, legs, and tail are darker than the main body color — is affected by temperature. The pattern is caused by a gene that prevents color in warm parts of the body and allows color in cooler areas, such as the face, ears and tail. The contrast between the body color and the point color is greater in cooler climates because the animal's extremities are cooler.



The clouded leopard

QUESTIONS AND ANSWERS



Crystal Palace, London

Q Where was the first formal cat show?

A The first cat show was held at Crystal Palace in London on July 13, 1871.

Q Why does a cat wag its tail?

A A cat will swish its tail when annoyed, will move it more rapidly when very agitated, and will twitch it when excited or curious.

Q How well can a cat smell?

A A cat's sense of smell is so good that it can smell another cat that is 330 ft (100 m) away. Cats smell with their nose, but also use the Jacobson's organ, which is in the roof of a cat's mouth.

Q How many claws does a cat have?

A Most cats have five toes on their front paws and four toes on their back paws. Each toe ends in a sharp claw.

Q What colors are cats' eyes?

A Cats' eyes are often a very striking color — blue, lavender, yellow, copper, or brilliant orange. Some cats are odd-eyed, with one eye of one color and one of another. Many pedigree cats are bred to have eyes of a specific color.

Q How long do cats usually live?

A Healthy cats will normally live for 12 to 15 years, but many live to be 18 or 19 years old.



Cats like rubbing against people

Q How many teeth do adult cats have?

A Grown cats have a total of 30 teeth, for grasping, cutting, and shredding food. They do not have any teeth for grinding food. Kittens have about 26 temporary teeth, which they lose when they are about six months old.

Q What makes it possible for cats to get through small spaces?

A Cats do not have a true collarbone, so their head is the bulkiest bony structure. Provided they can get their head through first, they can usually manage to squeeze the rest of their body through a very small gap.



Cats can squeeze through small spaces

Record Breakers

MOTHER TO THE MOST KITTENS
A cat called "Dusty" holds the record for producing the largest number of kittens. She had more than 420 kittens in her lifetime, and had her last litter when she was 18 years old.

THE WORLD'S BEST "MOUSER"
"Towser", a tabby working on rodent control in Scotland, caught more mice than any other cat. In her 21 years, she killed an amazing total of 28,899 mice, an average of about four each day.

THE LARGEST CAT BREED
The largest cat breed is the Ragdoll. Male ragdolls weigh between 12 and 20 lb (5.4–9 kg), while females weigh between 10 to 15 lb (4.5–6.8 kg).

THE SMALLEST CAT BREED
The smallest cat breed is the Singapura. Males weigh about 6 lb (2.7 kg) while females weigh about 4 lb (1.8 kg).




A Singapura kitten

Q Why do cats rub against people's legs?

A When cats rub against people, or against other cats, they are marking them with their scent glands. They often use scent glands that are situated between their eyes and ears, and one near their tail.

Chartreux cats have orange eyes




Identifying breeds

THE SELECTIVE BREEDING OF CATS has taken place for more than a century, and during that time the look of the different breeds has changed considerably. Breed standards describe the ideal appearance of a breed, and give guidance on coloration, pattern, and temperament. New breeds result from spontaneous changes, or from the crossing either of two established breeds, or of a domestic cat with a small wild cat.

PEDIGREE OR CROSS-BREED?
A pedigree or purebred cat is one whose mother and father belong to the same breed. A nonpedigree, or cross-bred, cat is one whose parents are from different breeds or who are themselves cross-bred.

Mother cat and kittens



HAIR LENGTH

Cats fall into one of three groups, depending on the length of their hair. Longhaired cats have a thick coat that can make them appear twice their actual size. The fur of shorthaired cats may be fine or coarse, and the hairs may be straight, crinkled, curly, or wavy. The Sphynx is the only pedigree breed that is "hairless."


The Maine coon, a longhaired cat



The British blue shorthair



The hairless Sphynx




COLORS AND PATTERNS

Over the years, selective breeding has established a variety of different patterns and colors within the recognized breeds.

TABBY COATS are patterned symmetrically with stripes and spots of a dark color on a lighter background. Tabby colors include blue, brown, cream, red, and silver.

Silver spotted tabby




Black



SOLID COATS are one color only. The color may be black, blue (dark gray), brown, cream (tan), lilac (light gray), red (orange), or white.


PARTICOLORED COATS have two or more clearly defined colors, such as black and white. Tortoiseshell coats are black, red, and cream, while calico coats are black, white, red, and cream.

Tortoiseshell and white



Tortoiseshell smoke longhair

SMOKE COATS have a white undercoat covered by guard hairs of a dark color (usually black, blue, or red).



SHADED COATS are similar to smoke coats except that the dark color occurs only on the tips of the guard hairs.

Red shaded cameo



CAT BREEDS

The Cat Fanciers' Association (CFA) recognizes the following groups of cat breeds.

PERSIAN

With the longest, densest fur of all domestic cats, Persian longhairs need a lot of grooming. They have flat, rounded faces and small ears.



Orange-eyed white Persian longhair

Cream Turkish van



TURKISH VAN

The Turkish van has a semi-longhair coat with a thinner undercoat than long-haired cats. Their fur is soft and silky.

Cream point British shorthair

BRITISH SHORTHAIRES
Distinguished by their large rounded body shape and round faces, there are British shorthairs in a wide range of colors and patterns.



The strongest point color is on the tail and the head.

FOREIGN CATS

This group includes a range of different cats. Asian cats have short, fine, close-lying fur. The oicat is a relatively new breed that has Siamese, Abyssinian, and American-shorthair ancestry. The Cornish rex has short, curly hair and a muscular body and legs. The Singapura is a small breed, with a ticked coat.




Red Tiffanie

There are some tabby markings on the face.

BURMESE CATS

Burmese cats have short, glossy fur with a satin feel, muscular bodies, and slender legs. They exist in a range of solid colors, and also tortoiseshell.




European Burmese

ORIENTAL CATS

Oriental shorthairs have short, fine, glossy fur, wedge-shaped faces, and large ears. They have a svelte body, long, slender legs, and a long, tapering tail. The oriental longhair has a similar body shape, but long, fine silky fur, with no woolly undercoat.

Lavender oriental shorthair



The ears are big, and the nose is long and straight.

SIAMESE


Siamese cats also have wedge-shaped faces, long bodies, slender legs, and large, wide ears. All Siamese cats are pointed, having light-colored bodies with a darker color on the face, ears, legs, feet, and tail.

The back is light blue.



Blue point Siamese


Chocolate point Siamese



POINTED COATS have a solid color on the main part of the cat's body, and a darker color on the extremities—the face, ears, legs, feet, and tail.

TICKED COATS have bands of color on each hair, creating a wavy effect.

Fawn Abyssinian



Find out more

EVEN IF YOU DO NOT HAVE A CAT of your own, there are many ways of finding out more about these attractive, affectionate pets. You could join a cat club and go to shows. You will meet people who are very knowledgeable about cats, and will find out about the work involved in breeding cats. You could volunteer to help a charity that cares for strays, cats that have been cruelly treated, and cats whose owners can no longer care for them. If big cats are your interest, visit a wildlife park and see lions, leopards, or tigers in action.

A CAT OF YOUR OWN

If you are considering getting a cat, first investigate the kind of home and care a cat needs. The ASPCA provides information to help you make your decision. The Cat Fanciers Association (CFA) provides information about choosing, feeding, and caring for your kitten. Alternatively, you might decide to adopt a cat through the ASPCA or another humane society.

The judges, dressed in white, examine the cats exhibited at a show.

CAT SHOWS

You will learn a lot by going to a cat show. They take place all year round, usually on Saturdays, and are generally open to the public in the afternoon. Shows vary in size enormously—a small show may have 60 cats competing, while more than 1000 cats take part in the CFA Cats! Show New York in October each year. A visit to a large show will enable you to find out about many different cat breeds.

Cats belonging to the club may have won many awards.



JOIN A CAT CLUB

Find out where your nearest cat club is and go visit. Some clubs are for specific breeds of cat, but many are for all breeds. Clubs organize and take part in shows at which club members can exhibit their cats. There are hundreds of cat clubs in the United States, and the CFA can provide information and contact details for many of them.

Oriental shorthair cats have large ears and a wedge-shaped head.

CUTE KITTENS

Breeding pedigree cats is a time-consuming business.

The kittens stay with their mother until they are 13 weeks old, and for at least a week after they have completed a vaccination course. This ensures that they are fully protected before they go to a new home. Both the kittens and the mother can need a lot of care during this time.

At a cat club, you may meet a breeder who is happy for you to visit and learn more about the work involved.

The kitten feels safe near its family.





Places to Visit

SAN DIEGO ZOO, SAN DIEGO, CALIFORNIA

www.sandiegozoo.com/

Asian fishing cats, Pallas' cats, cheetahs, jaguars, leopards, lions, and many other cats are on display here.

BRONX ZOO, BRONX, NEW YORK

www.bronxzoo.com/

A great zoo, with many exciting special features including a children's zoo, Himalayan Highlands Habitat (with snow leopards), and an indoor Asian rain forest covering almost an acre.

HOUSTON ZOO, HOUSTON, TEXAS

<http://www.houstonzoo.com>

Home to more than 100 species of mammals, including wild cats.

PURINA FARMS, GRAY SUMMIT, MISSOURI

www.purina.com/company/profile/purinafarms.asp

Farm animals and pets are the focus of this inviting animal experience. Visitors can meet and pet different breeds of cats.

THE CAT FANCIERS' ASSOCIATION CAT SHOW

The Cat Fanciers' Association is the world's largest registry of pedigreed cats and features cat shows around the world and across the United States. Unusual breeds, from the hairless Sphynx to the rare Ocicat may be seen at large cat shows. Check locations and dates of upcoming CFA cat shows at www.cfa.org/shows.html.



CATS

One way to find out more about big cats is to go to wildlife parks and observe them in action. If you can, talk to one of the keepers about what to look for in each area. To learn more about the safari-park experience and what kind of cats you might meet, visit www.animalsafari.com/.

The animals are used to visitors in their cars.

STRAY CATS

Sadly, some people get a cat without really considering whether they can care for it. Others are cruel to their cats. Charities that take care of injured and stray cats welcome volunteers to help care for these cats and find suitable new homes for them. Many local and state organizations, including your local SPCA, work with volunteers to rescue thousands of cats and kittens every year.



USEFUL WEB SITES

- The ASPCA's Web site for children features information on caring for and enjoying your cat:

www.animaland.org/framesets/petcare_frameset.asp

- The Web site of the Cat Fancier's Association explains cat breeds and cat care:

www.cfainc.org/

- National Geographic hosts an intriguing site about cat anatomy: www.nationalgeographic.com/cats/

- Learn about tiger conservation:

www.tigersincrisis.com/tigertalk.htm

- Wild About Cats rescues wild cats and places them for adoption. The Web site shows cats currently at the facility:

www.wildaboutcats.org/

- Discover the world's fastest cat—and conservation efforts to save the species:

<http://www.cheetah.co.za/>

- Learn about efforts to catch, spay, and release feral cats in California:

<http://www.feralcat.com/>

- Learn how to care for and nurture cats:

<http://www.fda.gov/oc/opacom/kids/html/cat-care.htm>



Glossary


AWN HAIRS Bristly hairs with thickened tips. Awn hairs are longer than down hairs, but not as long as guard hairs.

BREED A group of cats with particular characteristics. Humans control breeding to achieve specific features, such as coat type or head shape. If the breeding is not strictly supervised, characteristics can very quickly be lost.

BREED STANDARD The official description of a breed, setting out size, weight, color, etc.

BRINDLE A mix of tan and black hair

CAMOUFLAGE The coloration of an animal that either blends in with the color of the surroundings or breaks up the animal's outline with stripes or spots, making it harder to see. Camouflage can be important both for animals that hunt and those that are hunted.



The four large canine teeth

CANINE TEETH Four large, pointed teeth, two in the upper and two in the lower jaw. Some cats kill their prey by stabbing them with their canine teeth.

CARNASSIAL TEETH The teeth at the side of the cat's jaw that are used for cutting off meat

CARNIVORE A member of the order Carnivora, which contains animals that have teeth specialized for biting and shearing flesh. Most carnivores live primarily on meat.

CATERWAUL A howling, wailing cry made by a female cat when it is in heat

CLASS Any of the taxonomic groups into which a phylum is divided. A class contains one or more orders. Cats are part of the class Mammalia.

CLAW A curved, sharp, pointed attachment to the toe. Cats draw in, or retract, their claws when they are relaxed, but can extend them quickly when necessary. The cheetah is the only cat that cannot retract its claws.

COBBY Having a short, compact body shape

CROSS-BREEDING The mating of two different breeds

DOUBLE COAT A coat made up of a long top-coat over a short undercoat

DOWN HAIR The soft, fine hair that makes up a short undercoat and provides body insulation

FAMILY Any of the taxonomic groups into which an order is divided. A family contains one or more genera. Felidae is the name of the cat family.

FELINE Cat or catlike

FERAL CATS Domestic cats that have returned to living in the wild and live totally outside human control

FOLD A cat with ears that fold and turn down

FORELEGS The front legs of a four-legged animal

GENUS (plural **GENERA**) Any of the taxonomic groups into which a family is divided. A genus contains one or more species.

GROOM To keep clean and tidy. People groom cats, but cats also spend considerable time grooming themselves with their tongues and paws.



A European wildcat



Grooming a cat at a show

GUARD HAIRS Long hairs that form part of the topcoat

HABITAT The natural home of an animal or plant

HIND LEGS The back legs of a four-legged animal

INBREEDING Repeated breeding within a group of animals that are closely related to each other. Inbreeding can cause mutations.

JACOBSON'S ORGAN A taste-smell organ in the roof of a cat's mouth

KITTEN A young cat. The young of some large cats are known as cubs

LIGAMENT The tough tissue that connects bones and cartilage and that supports muscle

LITTER A group of young born at one time to one female cat

LONGHAIR A cat with a thick, long, double coat

MANE Long hair growing on or around the neck

MOULT To lose hair so that new growth can take place. Cats molt especially in the spring when they lose the thick coat they had for the winter.

MUTATION A change in the genetic make-up of an animal, which can sometimes result in an alteration in the animal's appearance

NEUTER A cat that has been either castrated (if a male) or spayed (if a female). Neutered cats often form a separate category in cat shows.

NOSE LEATHER The area of colored skin, not covered by fur, on a cat's nose

ORDER Any of the taxonomic groups into which a class is divided. An order contains one or more families. Cats belong to the order Carnivora.

PADS The leathery areas with no hair on the feet

PAPILLAE The hard, shiny points on a cat's tongue, used to lap up water, and for grooming

PARTICOLORED A cat with a coat of two or more clearly defined colors

PAW A cat's foot, with its leathery pads and sharp claws

PEDIGREE The record of a purebred's ancestors

PHYLUM A major taxonomic division of living organisms. A phylum contains one or more classes. Cats belong to the phylum Chordata, which includes animals that have backbones (known as the vertebrates)

POINTS Darker colored areas at the body's extremities — on the legs, paws, tail, head, and ears.

PUREBRED A cat with parents belonging to the same breed. A purebred is also known as a pedigree cat.

PURR To make a low, vibrant sound, usually expressing pleasure. The sound is made when the bones at the base of the tongue vibrate. Domestic cats and other small cats purr, whereas most large cats can only roar.

SELF (or **SOLID**) A cat with a coat of one color only

SEMI-LONGHAIR A cat with a relatively long topcoat, but a fairly thin undercoat



A mother cat suckles her kittens

SHEATHE To allow a claw to move back inside the bony, protective structure known as a sheath

SUCKLE To suck milk from the mother. The term also means to give milk to a young animal.

TABBY A coat with striped, blotched, spotted, or ticked markings



A cat's tongue is covered in papillae

SHORTHAIR A cat with a short coat

SKELETON The framework of bones that gives shape to an animal, provides anchorage for muscles, protects vital organs, is a source of blood cells, and provides a mineral store

SMOKE A cat with a white undercoat and a darker topcoat

SPECIES Any of the taxonomic groups into which a genus is divided. Members of the same species are able to breed with each other.

SPHYNX A breed of cat that is hairless apart from a little short, downy fur, mainly on its extremities

SPRAYING Using urine to mark a territory. Tom cats that have not been castrated do this particularly.

STALKING To approach prey stealthily and quietly

TAPETUM LUCIDUM The cells at the back of a cat's eye that reflect light. The tapetum lucidum makes it possible for a cat to see well when there is not a lot of light.

TAXONOMY Relating to the classification of organisms into groups, based on their similarities or origin

TENDON A band of tough tissue that attaches a muscle to a bone

TICKED A coat in which there are bands of different color on each hair

TOM A male cat



A Turkish van pedigree cat

TOPCOAT The outer coat of a cat, made up of the guard hairs and awn hairs

TORTOISESHELL A cat with black, and light and dark red markings. Tortoiseshell cats are usually female.

UNDERCOAT (or **UNDERFUR**) The dense, soft fur beneath the outer, coarser fur in some mammals

VAN A coat with a white body but a colored head and tail

WEAN When a kitten changes from a milk diet to a meat diet

WHISKERS The stiff hairs known as tactile hairs that grow on a cat's face. Whiskers are attached to nerves that send messages to the brain when the whiskers touch things.

Index

A

Abyssinian, 17, 25, 46, 52–53
Acinonyx jubatus, 42
Africa, 6, 10, 11, 28, 32, 38–39, 43–44
African lion, 28–9
African wildcat, 39, 44–45
Amazon, 34–35, 37
America (see also USA), 49, 57
American shorthair, 52
anal glands, 14, 21
Angora, 56
Argentina, 40–41
Arizona, 40
Asia, 10–11, 19, 28, 32–33, 36, 38–39, 40, 44, 46, 56
Audubon, John James, 36
Australasia, 10
Aztecs, 35

B

balance, 18–19
Bangladesh, 31
behaviour, 26–27, 50
big cats, 11, 18, 20, 23
Birman, 48, 56
black-footed cat, 10, 39
black leopard (see panther)
Blake, William, 30
bobcat, 10, 13, 24, 36
Bolivia, 41
brain, 13, 14–15, 25
Britain, 6, 8, 36, 49, 50–51, 53, 55, 57, 61
British National Cat Club, 50
British shorthair, 49, 52, 66, 67
Burma (see Myanmar)
Burmese, 53, 58, 67
burmilla, 58

C

camouflage, 6, 14, 30, 32, 36, 40, 70

Canada, 36, 58
canine teeth, 8, 9, 12–13, 28, 70
caracal, 38
care, 50, 62–63
carnassial teeth, 12–13, 70
Carnivora, 10
carnivores, 6, 8, 10, 18, 43, 45, 62, 70
Carroll, Lewis, 58
Caspian Sea, 57
Cat Association of Britain (CA), 69
Chartreux, 65
cheetah, 7, 10–11, 15, 18, 23, 32, 42–43, 45
China, 30, 40
chinchilla, 58
civet, 45
claws, 7, 11, 12, 15, 20, 27, 41–42, 65, 70
clouded leopard, 10–11, 64
Cocteau, Jean, 56
Colorado, 37
communication, 20, 26, 29, 32
Cornish rex, 58
cougar, 10, 36
Crystal Palace, 65
cubs, 18, 24–25, 32, 43

D

Daniel, 29
desert lynx, 38
Devon rex, 58
Dinictis, 9
domestication, 46, 58

E

Egypt, 46–47
Egyptian mau, 46
Egyptians, 48, 52
Eliot, T. S., 54
Elizabeth I, 16
England, 31, 59
Eocene, 8
Europe, 10, 28, 36, 44, 46, 49, 56–57
evolution, 8, 26
extinction, 8, 11, 30, 34, 40–41, 44
eyes, 16, 65

F

Felidae, 6, 40
Felis catus, 10, 44
Felis leo, 10
Felis silvestris, 10, 44, 46
feral cats, 44, 61, 70
fishing cat, 23
flat-headed cat, 40, 64
Florence, 32
fossil cats, 8, 9, 11
France, 49, 61
fur trade, 14, 32, 36, 38, 40, 43

G

Ganges, 30
Ganku, Kishi, 31
genet, 45
Geoffroy's cat, 41
Germany, 9
gestation, 24
ginger cat, 54
Gir forest, 28
Gozzoli, 32
Grandville, 60
Greenland, 6
grooming, 20–21, 64, 70

H

hairless cat, 58
hearing, 14–15, 16–17
Herculeum, 46
Heracles, 29
Hiroshige, Ando, 21
Hockney, David, 54
Hoplophoneus, 9
hunting, 7, 11–12, 18, 22–23, 24, 26, 28, 32, 55

I

Incas, 34
incisor teeth, 13
India, 11, 23, 28, 30–31, 38, 40, 43, 44, 59
Indian desert cat, 45
Ionides, Basil, 51
Iran (see Persia), 38, 46
Isle of Man, 13, 59

J

Jacobson's organ, 14, 16, 70

jaguar, 6, 10, 14, 33, 34–35
Japan, 7, 21, 24, 31, 44, 48

KL

Kipling, Rudyard, 7, 33
Landseer, Sir Edwin, 8
Leadenhall Street, 31
Lear, Edward, 58
leopard, 10–11, 14, 18, 22, 24, 32–33
leopard cat, 40
liger, 59
Lindisfarne Gospels, 6
Linnaeus, 10, 44
lion, 8, 10–11, 13, 14–15, 25, 27, 28–29, 30, 32, 40, 59
London, 8, 16, 31, 50–51
longhaired cats, 50, 56–57, 62, 70
Los Angeles, 8
Lucca, Duke of, 32
lynx, 10, 36–37, 38

M

Maine coon, 57, 66
Maltese cat, 51
man-eaters, 31
Manx cats, 13, 59
margay, 40
mating, 24–25, 42, 61
Metz, 49
Mexico, 35, 40
Miacis, 9
Mochica culture, 37
Mount Vesuvius, 46
Mughal empire, 31, 43
Muybridge, Eadweard, 19
Myanmar (see also Burma), 48, 53

NO

Namibia, 43
Nebamun, 47
Nebuchadnezzar, 29
Nelson's column, 8
Newton, Sir Isaac, 64
New Zealand, 55
Nicholas I, Czar, 51
Nigeria, 33
Nile, 47
Noah, 64
Norton, Elizabeth, 57
North Africa, 46
North America, 9, 10, 36
ocelot, 14, 40

Old Testament, 29
Oligocene, 9
orange cat, 50
Oriental shorthair, 52, 67

P

Pallas, Peter Simon, 57
Pallas's cat, 56–57
panther, 14, 22–23, 33
Paris, 61
Patagonia, 34, 41
pedigree cats, 50, 57, 66–67, 71
Perrault, Charles, 49
Persia (see Iran)
Persian cat, 13, 46, 49, 50, 56, 67
Peru, 34, 35, 37
Pompeii, 46
pride, 6, 7, 18, 21, 22, 24, 26, 28
puma, 10, 25, 36–37
purring, 12, 15, 71

R

Ra, 47
Ragdoll, 65
Rancho la Brea, 8
red self, 50–51, 57
Renaissance, 29, 32, 49
rex (see Devon and Cornish), 14, 58
Rousseau, Henri, 30
Russian blue, 51, 55

S

sabre-toothed cat, 8, 9
Sahara, 39
St Hilaire, Geoffroy, 41
sand cat, 39
scent, 14, 17, 22, 25, 26
scent glands, 20–21, 27, 65
Scotland, 44, 59
Scottish fold, 59
Scottish wildcat, 44
selective breeding, 58, 66
senses, 10, 15, 16–17, 18
serval, 14, 23, 38–39
shorthairs, 49, 52–55, 71
Siam, 55
Siamese, 25, 52, 55, 56, 61, 67
Siberia, 11, 30
Siberian tiger, 6, 30
sight, 17, 64

Singapura, 65
skeleton, 6, 12–13, 15, 71
small cats, 10, 12, 16, 18, 20, 22–23
Smilodon, 8, 9
snow leopard, 10, 12, 33
sorrel Abyssinian, 17, 25, 52
South America, 8, 10, 34–35, 36–37, 40–41
South Dakota, 9
Southampton, Earl of, 16
Southeast Asia, 30, 33, 40
Soviet Union, 57
Spanish cat, 51
Sphinx, 66, 71
Sundarbans forest, 31

T

tabby cat, 6, 10, 26, 44–45, 53, 55, 60, 66, 71
tapetum lucidum, 16, 64, 71
taste, 17
taste-smell, 14, 16
teeth, 8, 9, 10, 12–13, 23, 28, 65
territories, 20, 26–27, 28, 30–31, 32, 34, 37, 42, 60, 62
Thailand, 53, 55
Thylacosmilus, 8
tiger, 10–11, 12–13, 14, 18–19, 23, 24, 30–31, 32, 58–59
tigon, 59
tongue, 14, 17, 20, 71
Topsell, Edward, 60
tortoiseshell, 16, 27, 53, 64
touch, 14, 17, 20
Tower of London, 16
Turkey, 46, 56
Turkish Van, 56, 71

UWZ

urban cats, 60
USA, 9, 34, 37, 52, 53, 61
Wain, Louis, 50
Watson, George, 54
Weir, Harrison, 50
whiskers, 6, 15, 16–17, 71
white tiger, 58–59
wildcat, 10, 39, 44–45, 46
wildlife parks, 69
witchcraft, 48–49
Zimbabwe, 43

Acknowledgments

The publisher would like to thank:

Trevor Smith and all the staff at Trevor Smith's Animal World; Jim Clubb of Clubb-Chipperfield; Nicki Barrass of A1 Animals; Terry Moore of the Cat Survival Trust; the staff of the British Museum and the Natural History Museum for their assistance; Jacquie Gulliver and Lynne Williams for their work on the initial stages of the book; Christian Sévigny and Liz Sephton for design assistance; Claire Gillard and Céline Carez for editorial assistance.

Picture credits

The publisher would like to thank the following for their kind permission to reproduce their photographs:
a=above t=top b=bottom l=left r=right c=center
Animals Unlimited: 53b; Ardea: R. Beames 40c; K. Fink 40tr; Bridgeman Art Library: back jacket

bl above, 28tc, 62tl; Bibliothèque Nationale, Paris 28tb; Chadwick Gallery, Warwick 52c; National Gallery, London 30tl detail; National Gallery of Scotland 54bl; Victoria & Albert Museum, London 20tl; Courtesy of the Trustees of the British Museum: 6tr, 22bl, 31tr; In the Collection of the Duke of Buccleuch & Queensberry KT: 16cr detail; Jean Loup Charmet: 7tr; Bruce Coleman Ltd: 57tr; Jen & Des Bartlett 13c, 23bl, 25c, 28c; Jane Burton 16cb; Jane Burton & Kim Taylor 16cl; Eric Creighton 26cl; Gerald Cubitt 39br, 43b; G. D. Plage 24cl; Hans Reinhard 12c, 16tl, 24bl, 37tc, 42–43; Norman Tomalin 45bl; Konrad Wotho 22br; Rod Williams 11c, 33cb; Gunter Ziesler 42c, 43tl; E.T. Archive: 24tr, 62br, © Sheila Roberts 1971, 63tc; Mary Evans Picture Library: 10cl, 19t, 27cr, 49tl, tr, 58br; Werner Forman Archive: 33b, 35tr; Freer Gallery of Art, Washington: 21tl detail, Acc. No. 04.357; Robert Harding Picture Library: 49bl; Marc Henrie: 50cl; 'Mr & Mrs Clark & Percy' 1970–1, © David Hockney/photo Tate Gallery: 54tl; Michael Holford: front jacket tr & tl below, 31tl, c, 35b, 37c, 47tr, 47br, 48cl; Hulton-Deutsch Collection:

30b; Hutchison Library: 34c; Image Bank: 54cl; Images Colour Library: 47bl, 48tl, 58tl; Kobal Collection: 11cl, 22t, 49cr; M.R. Long: 9c; LYNX: 36tr; Mansell Collection: 13bl; Metropolitan Museum of Art: 57b; Museum of American Folk Art: 52c; National Gallery of Art, Washington: 55tr (gift of Edgar William & Bernice Chrysler Garbisch); Natural History Museum: 8tl, bl, 12bl, 13tl, br, 33c, 35c, 36cr, 37c, 38c; Natural History Photographic Agency: Agence Nature 18bl; Anthony Bannister 42b; Nigel Dennis 45tl; Patrick Fagot 19c; Peter Johnson 14cl, 45cl; Stephen Krasman 16tr; Gérard Lacz 12tl, 58tr, 59bl; Northampton Historical Society, Mass.: 15tc; Oxford Scientific Films: 37tl, 39tl; Roy Coombes 27c; Sean Morris 41b; Richard Packwood 12cb; Kjell Sandved 59br; Bernard Schellhammer 53cr; Quadrant Picture Library: 42cb; Courtesy of The Savoy: 51cr; Scala: Palazzo Medici Riccardi, Florence 32bl detail; Museo Nazionale, Napoli 46tl; National Museum, Athens 47tl; Spectrum Colour Library: 8br; Frank Spooner Pictures: 61br; Survival Anglia; Dieter & Mary Plage 32tl; Alan Root 27tr; Maurice Tibbles

14tr; Amoret Tanner: 28tl; Victoria & Albert Museum Picture Library: 43tr detail; Zefa: 16ct; E. & P. Bauer 23bl, 38bl; M. N. Boulton 11bl; Bramaz 63br; G. Dimijian 21cr; D. Kessel 35tl; Lummerc 20br; Orion 19cb Ardea London Ltd: John Daniels 64tl, 68crb; Masahiro Iijima 64br; Corbis: Tom Brakefield 66–67; Roy Morsch 68–69; John Periam / Cordaiy Photo Library Ltd 69bc; DK Images: Gables 70–71; Jerry Young 70bc; Longleaf Safari Park, Wiltshire: 69clb; Masterfile UK: 68cl; Oxford Scientific Films: Richard Packwood 71tc; Rex Features: John Gooch 68–69tc; Philip Berry; Frank lane picture agency 65–65

Illustrations by: Dan Wright

Jacket images:

Front: Adam Jones/Getty, b; British Museum, London, tcl

All other images © Dorling Kindersley For more information see www.dkimages.com.